

中華電力有限公司 每月時計空氣質素報告																																	
地點： 屯門診所																		日期： 2022年10月1 - 31日															
監測物： 二氧化硫																		單位： 微克/立方米															
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
00:00	3	2	2	3	2	2	2	2	2	2	2	--	3	1	1	2	2	2	1	2	1	1	2	1	1	1	--	1	1	1	2	2	
00:10	3	2	2	3	2	2	2	2	1	2	3	--	2	1	1	2	2	2	1	2	1	1	2	1	1	1	--	1	1	1	2	2	
00:20	2	2	2	3	2	1	2	2	1	2	3	--	3	1	1	2	2	2	1	2	1	1	2	1	1	1	--	1	1	1	2	1	
00:30	2	2	2	3	2	2	2	2	2	1	3	--	3	1	1	2	2	3	1	2	1	1	2	1	1	1	--	1	2	1	2	2	
00:40	2	2	2	3	2	2	2	2	2	2	2	--	--	1	1	2	2	2	1	2	1	1	2	1	1	1	--	--	2	2	2	2	
00:50	3	2	2	3	2	2	2	2	1	2	3	2	--	1	1	3	2	2	1	2	1	1	2	1	1	1	--	1	1	2	2	2	
01:00	2	2	2	3	2	2	1	2	1	2	3	2	--	1	1	3	2	2	1	2	1	1	2	1	1	1	--	1	1	2	2	2	
01:10	2	2	2	3	2	1	1	2	1	1	3	2	2	1	1	3	2	2	1	2	1	2	2	1	1	1	1	1	1	1	2	2	
01:20	2	2	2	3	2	1	1	2	1	1	3	2	2	1	1	2	2	2	1	1	1	1	2	1	1	0	1	1	2	1	2	2	
01:30	2	2	2	3	2	2	1	2	1	1	2	2	2	1	1	3	2	2	1	1	1	1	2	1	1	0	1	1	1	2	2	2	
01:40	2	2	2	3	2	2	1	2	1	1	2	2	1	2	1	3	2	2	1	1	1	1	2	1	1	0	1	1	2	2	2	2	
01:50	2	2	2	3	2	2	1	2	2	2	3	2	1	1	1	2	2	2	2	1	1	2	2	1	1	1	0	1	2	2	2	2	
02:00	2	2	2	2	2	1	1	2	2	2	2	2	1	1	1	2	2	2	1	1	1	1	2	1	1	1	1	1	1	2	2	2	
02:10	2	2	2	3	2	1	1	2	1	2	2	2	2	1	1	2	2	2	1	1	1	1	2	1	1	1	1	1	1	2	2	2	
02:20	2	2	2	2	2	1	1	2	1	1	2	2	2	1	1	2	2	2	1	1	1	1	2	1	1	1	1	1	1	1	2	2	
02:30	2	2	2	2	2	2	1	2	2	2	2	2	1	1	1	2	2	2	1	1	1	1	2	1	1	1	1	1	1	1	2	2	
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:20	2	3	1	3	1	1	1	2	1	1	3	2	2	1	2	1	1	2	1	2	0	2	1	2	0	2	2	2	1	2	1	2	
03:30	2	2	1	2	1	0	0	2	0	0	3	1	2	0	1	1	1	2	0	1	0	2	0	2	0	2	2	0	2	0	2	0	1
03:40	1	2	1	2	0	0	0	1	0	0	3	1	2	0	1	1	1	2	0	1	0	2	0	2	0	2	1	0	2	0	1	1	
03:50	1	2	0	2	0	0	0	1	0	0	3	1	2	0	1	0	1	2	0	1	0	1	0	1	0	1	1	0	1	0	1	1	
04:00	3	2	2	2	2	1	1	1	2	1	3	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
04:10	3	2	2	2	2	1	1	1	2	1	2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
04:20	3	2	2	2	2	2	1	1	2	1	3	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
04:30	3	2	2	3	2	2	1	1	2	1	3	2	2	1	1	2	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	
04:40	3	2	2	2	2	2	1	1	2	2	3	2	2	1	1	2	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	
04:50	2	2	2	2	2	2	1	1	2	1	3	2	2	1	2	2	2	2	1	2	1	1	2	1	1	1	1	1	1	2	1	2	
05:00	2	2	2	3	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	1	1	1	2	1	1	1	1	1	1	2	2	2	
05:10	2	2	2	2	2	2	1	2	2	2	3	3	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	1	1	1	2	2	
05:20	2	2	2	2	2	2	2	2	2	2	3	3	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	1	1	2	2	2	
05:30	2	2	2	2	2	2	2	2	2	2	3	3	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	1	1	2	2	1	
05:40	2	2	2	2	2	2	2	2	2	1	3	3	2	2	2	2	2	1	1	1	1	2	2	1	1	1	1	1	1	2	2	2	
05:50	3	2	2	3	2	2	1	1	2	2	3	3	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2022年10月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	25	13	23	37	35	19	55	42	36	18	19	13	12	11	13	13	12	10	10	7	6	5	3	3	18
2	3	2	3	4	2	2	3	8	8	8	10	15	13	12	12	12	11		10	8	7	5	5	3	
3	3	4	6	5	15	22	40	81	20	18	24	26	17	17	16	18	21	36	40	30	28	24	38	48	25
4	48	37	27	13	20	25	32	47	22	9	8	11	10	5	8	5	4	3	4	3	3	3	5	4	15
5	6	3	3	5	6	8	8	30	14	8	11	9	7	8	7	7	9	7	5	4	3	2	1	1	7
6	1	2	1	1	2	1	4	6	8	7	7	4	0	0	0	0	7	5	5	9	4	3	5	3	4
7	3	2	3	3	2	2	3	7	8	10	8	6	4	5	7	4	4	4	4	3	2	4	3	3	4
8	3	4	4	2	2	2	5	10	15	13	11	5	4	5	5	5	6	4	5	2	1	4	2	3	5
9	2	2	2	3	3	2	6	6	7	3	2	2	1	1	1	1	1	2	3	2	1	2	2	2	2
10	1	1	1	1	2	2	4	7	10	7	8	4	3	2	3	2	4	3	4	6	3	2	2	1	3
11	2	0	1	1	1	2	4	12	12	10	7	4	4	2	2	1	1	3	4	4	4	6	17	23	5
12	0	10	5	4	3	3	3	7	12	9	8	4	2	3	3	1	3	3	15	15	28	42	40	42	11
13	37	6	10	6	6	14	28	15	17	9	7	3	2	1	1	1	0	1	3	3	2	1	1	2	7
14	3	4	3	2	3	3	10	23	16	11	5	2	2	2		1	0	1	1	2	1	2	3	3	
15	4	4	3	3	4	2	2	3	4	11	6	6	3	1	1	1	1	3	5	3	9	3	2	2	4
16	2	2	2	0																					
17		1	1	1	1	1	2	3	3	4	5	3	1												
18													3	8	11	8	8	8	7	5	3	3	3	3	
19	3	4	5	3	3	3	5	12	18	18	16	9	7	8	8	10	11	3	3	3	3	7	8	9	7
20	9	3	1	1	1	1	2	8	10	10	8	8	8	6	6	5	8	9	8	7	4	4	2	1	5
21	1	1	1	2	1	1	7	13	14	11	7	5	3	4	5	3	4	3	4	7	10	11	8	4	5
22	6	9	5	6	6	6	28	63	27	16	9	3	2	1	2	3	4	0	2	2	4	6	9	13	10
23	17	23	24	17	7	8	14	26	24	16	12	6	2	2	2	0	2	5	4	4	3	2	2	2	9
24	1	1	1	1	1	1	12	30	15	13	12	6	3	5	6	4	5	3	4	6	2	1	1	1	6
25	1	1	1	1	1	0	3	5	11	9	4	4	4	3	4	4	6	7	5	4	3	2	2	1	4
26	0	1	1	0	1	2	8	11	14	12	8	6	4	10	9	6	11	7	7	7	3	2	2	2	6
27	1	1	1	0	1	2	5	11	12	9	10	12	7	6	7	6	7	10	7	8	11	9	5	1	6
28	1	1	1	2	2	2	7	29	25	13	8	4	2	2	1	1	1	1	4	3	3	2	2	2	5
29	3	3	4	4	3	3	4	11	12	9	8	4	2	1	1	1	1	2	2	4	4	4	3	3	4
30	4	5	5	4	3	2	2	5	5	5	5	4	3	1	1	2	2	1	3	3	3	4	2	2	3
31	2	2	1	1	1	1	1	3	4	3	3	3	2	3	2	3	4	4	5	4	2	1	1	0	2

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：二氧化氮

日期：2022年10月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	34	26	27	27	26	26	26	28	26	22	21	16	14	14	14	15	17	20	23	21	15	11	10	9	20
2	10	8	9	18	14	12	15	20	13	12	12	14	15	17	17	16	14		18	14	15	13	15	10	
3	9	10	15	13	23	25	29	33	27	18	19	20	20	23	29	32	37	52	54	47	46	47	50	48	30
4	44	38	36	33	30	27	28	31	25	13	16	25	30	27	33	26	27	33	41	40	35	42	58	56	33
5	58	44	47	46	49	60	51	63	46	33	38	31	29	29	29	23	29	30	31	26	21	12	11	16	36
6	12	9	8	10	15	20	35	25	25	19	25	23	0	0	0	0	50	54	69	63	29	21	23	14	23
7	12	14	11	15	10	12	19	30	32	28	27	29	24	35	43	38	38	47	55	50	37	41	22	21	29
8	27	22	25	19	15	19	24	31	34	33	34	30	21	29	30	32	42	38	47	34	30	38	27	35	30
9	16	15	17	22	18	24	33	33	27	20	20	21	23	23	23	23	21	28	31	23	22	19	18	19	22
10	17	14	15	15	13	15	21	33	33	30	36	34	31	32	37	41	44	43	52	51	44	42	31	23	31
11	21	20	18	18	20	26	35	47	52	50	46	40	43	39	39	38	65	97	95	98	73	95	100	99	53
12	0	85	70	61	59	52	42	49	59	52	48	41	41	38	46	40	59	67	110	125	117	117	112	110	67
13	106	77	80	72	77	80	85	65	69	51	53	43	40	34	48	62	77	85	85	80	52	35	29	38	63
14	50	59	45	35	37	41	51	70	59	54	45	36	36	41		42	49	72	85	89	64	69	52	41	
15	61	53	43	41	37	28	33	41	44	53	55	55	48	37	36	40	49	57	56	87	111	68	59	48	52
16	46	36	41	0																					
17		18	17	15	15	14	21	33	35	38	48	41	32												
18													39	52	52	48	49	49	50	36	24	23	19	19	
19	23	34	35	20	24	23	40	54	56	54	52	48	50	54	55	70	79	66	63	62	61	75	74	71	52
20	66	30	16	13	16	17	19	35	34	34	34	35	36	35	30	34	42	52	56	63	52	37	24	17	34
21	17	22	32	16	11	27	47	48	40	37	34	36	42	51	64	63	78	88	71	83	97	94	77	49	51
22	61	61	49	40	48	47	61	67	51	56	59	53	46	38	44	54	96	94	80	69	72	81	75	71	61
23	68	66	61	52	55	55	55	54	46	44	39	39	38	35	39	29	58	72	62	50	34	37	35	25	48
24	22	23	26	21	14	17	53	67	47	43	43	39	36	51	64	73	72	62	55	51	28	25	21	20	41
25	17	13	12	12	12	18	36	32	46	39	35	36	36	34	35	38	40	48	38	35	30	23	22	19	29
26	0	13	14	9	13	29	51	44	42	40	36	37	31	52	59	57	72	75	77	69	38	26	24	20	39
27	17	16	13	11	29	43	44	54	40	31	34	36	35	39	47	47	56	68	61	74	87	73	46	17	42
28	14	11	12	30	32	25	44	59	52	46	51	48	39	38	40	55	97	91	84	83	66	45	36	41	47
29	45	44	43	32	29	30	35	44	47	44	45	40	36	40	32	36	35	50	39	43	42	30	26	27	38
30	26	24	24	23	20	17	18	21	22	24	26	30	31	29	28	25	29	32	46	50	50	47	36	26	29
31	21	19	18	16	16	16	20	31	38	37	40	40	38	37	39	46	48	51	50	42	31	25	23	19	32

備註：
"--" 代表欠缺該段時間的空氣質素數據