

中華電力有限公司 每月時計空氣質素報告																															
地點： 監測物：	屯門診所 二氧化硫															日期： 單位：	2023年6月1 - 30日 微克/立方米														
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	4	4	4	3	4	4	3	3	4	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	2	2	1	1	1	1	
00:10	4	4	4	4	3	4	3	4	4	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	
00:20	3	4	3	3	4	4	3	4	5	4	4	4	1	1	1	1	2	2	1	1	1	1	1	1	2	1	1	1	1	1	
00:30	3	3	4	3	4	3	4	4	4	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	
00:40	3	3	4	3	4	4	3	--	5	4	4	4	1	1	1	1	1	2	1	1	1	--	1	1	1	1	1	1	1	1	
00:50	4	3	3	4	4	4	3	--	4	4	4	4	1	1	1	1	1	2	1	1	1	--	1	1	1	1	1	1	1	1	
01:00	4	3	3	4	4	3	4	--	5	4	4	4	1	1	1	1	1	2	1	1	1	--	1	1	1	1	1	1	1	1	
01:10	4	4	4	3	4	4	4	4	4	4	4	4	2	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	
01:20	4	3	4	4	4	4	4	3	3	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	
01:30	4	4	4	4	4	4	4	3	4	4	4	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
01:40	4	3	4	4	4	3	4	4	4	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
01:50	4	4	4	4	4	4	4	3	4	4	4	4	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	
02:00	3	3	4	3	4	4	4	4	4	3	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	
02:10	4	3	4	4	4	4	3	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	2	1	
02:20	4	4	4	4	3	4	3	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	
02:30	4	4	4	4	4	4	4	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	0	1	1	1	
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:20	4	4	4	4	4	4	4	4	4	4	4	4	1	1	1	1	2	1	1	1	2	1	1	1	2	1	1	1	1	1	
03:30	4	4	4	4	3	4	4	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	
03:40	4	3	4	4	4	3	4	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
03:50	4	3	4	3	3	4	4	3	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	
04:00	3	4	4	4	4	4	3	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	
04:10	4	3	4	4	4	4	4	4	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
04:20	4	4	4	4	4	4	4	4	4	4	4	4	1	1	1	1	2	1	1	1	1	1	1	1	2	2	1	1	1	1	
04:30	4	4	4	4	4	4	3	4	4	4	4	4	1	1	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	
04:40	3	3	4	3	4	3	4	4	4	4	4	4	1	1	1	1	2	1	1	1	1	1	1	1	2	2	1	1	2	1	
04:50	4	4	4	4	4	4	4	3	4	4	4	4	1	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	2	1	
05:00	4	4	4	3	4	4	4	3	4	4	4	4	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	2	1	
05:10	3	3	4	4	4	4	4	4	4	4	4	4	2	1	1	1	2	1	1	1	1	1	1	1	2	2	1	1	1	1	
05:20	3	4	4	4	4	4	4	2	4	4	4	4	1	1	1	1	2	1	1	1	1	1	1	1	2	2	1	1	1	1	
05:30	3	4	4	4	4	4	4	4	4	4	4	4	2	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	2	1	
05:40	3	4	4	3	3	4	4	4	4	4	4	4	1	1	1	1	2	1	2	2	1	1	1	1	2	1	1	1	2	1	
05:50	4	4	4	3	4	4	4	4	4	4	4	4	2	1	1	1	2	1	2	2	1	1	1	1	2	2	1	1	2	2	
06:00	4	3	3	4	4	4	3																								

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2023年6月1 - 30日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	1	1	1	1	1	2	2	9	25	23	23	30	8	6	10	8	2	3	3	3	2	2	3	2	7
2	2	2	1	2	2	2	7	6	8	10	11	4	5	5	7	7	7	4	4	4	4	4	3	4	5
3	3	4	3	3	3	5	10	15	13	17	19	17	15	8	8	6	7	5	6	6	4	4	4	4	8
4	4	7	8	4	3	3	5	7	8	10	12	8	9	8	8	9	8	7	9	7	4	4	7	4	7
5	4	4	--	3	2	4	9	29	22	22	22	21	19	10	11	13	16	14	16	9	5	4	4	3	12
6	2	2	3	2	2	4	7	11	15	11	10	13	29	19	21	30	29	42	37	36	37	23	19	11	17
7	--	9	2	2	2	3	11	18	23	15	16	11	12	13	13	10	16	8	7	9	7	6	6	4	10
8	2	2	1	2	2	5	11	23	34	16	32	14	13	16	14	16	14	14	21	14	14	33	38	38	16
9	27	17	2	4	6	11	20	43	41	43	20	15	8	15	13	10	12	8	8	6	7	4	4	3	14
10	2	3	3	2	2	2	7	16	27	10	27	27	14	20	24	25	20	18	10	6	4	2	5	6	12
11	8	8	6	6	3	5	6	9	8	7	9	11	6	7	3	4	4	5	5	5	5	5	4	3	6
12	2	4	4	5	3	3	5	10	15	11	6	12	7	8	7	8	8	8	9	14	10	4	3	3	7
13	5	4	3	2	4	9	30	37	51	44	24	15	7	7	6	4	7	7	5	3	4	4	3	1	12
14	3	3	1	2	1	1	14	22	46	31	21	32	22	10	8	5	5	6	5	5	3	2	3	2	11
15	2	3	2	2	2	4	8	14	18	10	11	17	12	12	8	4	6	3	3	2	3	2	2	2	6
16	3	7	1	1	3	10	19	22	14	11	24	26	33	26	29	36	36	14	20	5	6	4	3	3	15
17	11	11	6	13	21	39	66	74	110	84	52	35	39	16	17	21	41	49	54	51	54	37	50	37	41
18	35	28	6	10	3	4	7	12	14	14	19	27	17	17	12	12	11	10	8	5	5	5	7	4	12
19	2	3	3	2	5	8	15	28	38	30	22	20	17	16	16	18	15	13	12	10	10	5	5	6	13
20	3	4	4	2	4	14	62	46	26	20	17	18	14	14	17	16	15	13	12	11	8	5	6	4	15
21	--	2	3	2	2	3	7	22	18	19	20	13	12	10	13	13	12	13	10	10	7	5	6	5	10
22	3	3	5	2	3	2	6	10	15	12	9	7	6	9	8	9	9	7	10	7	4	4	5	3	7
23	3	3	2	1	1	2	5	22	19	18	14	14	11	12	14	21	23	22	16	9	5	5	3	3	10
24	3	3	2	2	2	3	4	24	30	23	19	36	25	22	23	23	38	30	24	21	9	15	43	33	19
25	18	4	4	8	13	25	49	18	19	13	14	12	10	8	10	8	11	9	9	14	10	15	17	19	14
26	17	15	20	17	14	14	26	30	25	19	23	36	19	16	13	15	12	11	13	10	7	8	9	7	17
27	4	5	4	4	7	9	22	25	28	26	21	17	10	17	16	9	11	14	14	12	14	12	12	12	14
28	6	5	4	6	5	7	24	48	31	34	30	25	27	22	22	17	32	41	63	64	51	18	11	5	25
29	4	9	6	4	10	14	28	41	33	26	42	26	22	17	17	20	15	6	5	3	2	3	4	3	15
30	3	3	3	2	3	5	12	15	28	28	28	41	23	16	17	15	14	18	15	10	6	5	7	16	14

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：	屯門診所																日期：	2023年6月1 - 30日							
監測物：	二氧化氮																單位：	微克/立方米							
日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	15	11	7	8	11	10	18	73	95	97	86	79	30	22	55	68	32	33	60	74	63	69	75	38	47
2	36	14	7	17	16	19	28	8	15	23	21	22	37	54	55	47	58	44	42	34	17	15	11	12	27
3	18	20	14	15	18	20	27	23	18	25	31	33	39	38	39	31	25	23	27	30	13	18	16	17	24
4	19	24	28	10	5	6	9	1	2	9	18	14	17	20	16	16	15	13	21	13	4	7	15	7	13
5	10	8	--	9	0	5	17	26	14	17	14	17	17	8	13	27	28	27	25	16	8	4	3	5	14
6	1	2	2	3	2	9	15	13	19	9	15	24	39	34	35	43	41	52	49	45	43	38	35	28	25
7	--	22	16	10	13	11	23	28	27	20	16	15	17	18	22	22	26	17	16	24	20	19	27	19	19
8	12	10	7	6	9	17	23	23	23	16	27	15	13	14	13	19	23	26	33	32	30	33	31	28	20
9	26	18	6	15	17	19	25	31	28	32	21	15	14	25	17	17	20	21	23	23	23	17	17	10	20
10	13	21	18	9	8	11	19	25	29	19	31	25	14	22	30	37	39	48	40	26	19	18	37	39	25
11	37	31	30	26	16	18	17	17	9	8	16	23	21	22	15	21	24	29	32	30	39	35	31	20	24
12	19	21	18	25	13	5	9	9	17	13	5	25	22	31	22	25	27	32	32	45	29	14	13	8	20
13	12	10	11	3	13	21	26	29	33	32	31	27	26	38	28	19	21	32	23	11	24	29	17	7	22
14	18	18	11	8	3	7	58	63	74	56	44	48	38	33	30	12	16	20	26	28	15	5	14	2	27
15	7	4	2	5	0	7	18	27	29	23	28	41	41	56	50	47	59	48	57	61	63	42	31	41	33
16	50	31	4	4	12	29	41	43	31	31	51	52	57	51	52	57	58	41	43	25	27	17	15	21	35
17	33	32	24	48	49	45	44	42	44	39	35	30	33	22	22	31	37	37	36	34	32	32	33	30	35
18	30	27	17	18	6	5	8	3	5	7	5	6	10	5	0	1	3	7	7	8	10	10	10	10	9
19	1	2	2	0	5	13	17	20	20	13	13	15	15	15	15	19	18	18	18	20	15	8	12	10	13
20	4	5	9	0	4	17	22	17	17	15	18	16	10	10	17	16	14	19	21	21	13	11	9	5	13
21	--	5	11	0	0	6	11	20	13	13	14	7	5	3	8	10	15	18	16	21	10	8	13	7	10
22	10	11	11	1	3	7	4	2	6	5	5	1	0	3	2	4	6	10	16	12	5	5	8	1	6
23	0	0	0	0	0	1	9	21	17	16	15	11	12	14	18	35	37	37	33	21	14	12	5	0	14
24	1	3	0	0	0	1	4	19	21	13	14	24	17	19	20	21	23	24	27	28	15	17	22	22	15
25	18	8	10	14	15	17	19	10	5	1	1	0	0	1	3	1	5	4	8	20	16	16	24	23	10
26	15	10	9	8	5	5	9	12	2	4	9	16	10	16	15	17	13	14	21	23	17	20	23	9	13
27	0	0	0	1	0	2	6	3	8	8	8	7	6	15	14	11	9	22	27	22	17	15	12	10	9
28	6	3	1	4	2	0	4	8	5	6	4	7	6	7	5	5	11	18	23	23	20	11	4	0	8
29	0	1	1	0	1	4	4	6	5	4	15	17	19	25	35	30	32	23	18	15	11	9	13	16	13
30	13	11	10	13	9	10	11	9	11	10	16	19	11	7	14	16	11	14	9	6	1	0	2	7	10

備註：
"--" 代表欠缺該段時間的空氣質素數據