

中華電力有限公司 每月時計空氣質素報告																																	
地點： 屯門診所																日期： 2023年7月1 - 31日																	
監測物： 二氧化硫																單位： 微克/立方米																	
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
00:00	2	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0		
00:10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1		
00:20	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
00:30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
00:40	2	1	1	1	1	--	1	1	1	1	1	1	1	1	1	1	1	1	0	--	1	1	1	1	1	1	1	1	1	1	1		
00:50	1	1	1	1	1	--	1	1	1	1	1	0	1	1	0	1	1	1	1	--	1	1	1	1	1	1	1	1	1	1	1		
01:00	2	2	1	1	1	--	1	1	1	1	1	2	1	1	1	1	1	1	1	--	1	1	1	1	1	1	1	1	1	1	1		
01:10	2	1	1	1	2	1	1	1	1	1	1	2	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
01:20	2	1	1	2	1	1	1	1	1	1	1	1	2	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0		
01:30	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
01:40	2	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
01:50	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1		
02:00	2	1	1	1	1	1	1	1	1	1	1	1	1	0	1	0	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1		
02:10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
02:20	2	1	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1		
02:30	1	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	2	1	1	1	1	1	1	1	1	1	1		
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:20	2	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	0	1	1	1	1	1	1		
03:30	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	0	1	1	1	1	1	1		
03:40	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
03:50	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1		
04:00	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
04:10	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	0	1		
04:20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
04:30	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
04:40	1	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
04:50	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
05:00	1	2	1	1	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	0	1	1	1	1	1	2	1	1	1		
05:10	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
05:20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	0	1	1		
05:30	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1		
05:40	1	2	2	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1		
05:50	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1		
06:00	2	1	2	2	2	1	1	1	1	1	1	1	2	1																			

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2023年7月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	13	11	13	4	3	10	13	12	22	21	18	19	12	9	11	15	17	18	13	7	8	9	23	22	13
2	8	4	2	8	9	11	11	18	16	16	9	9	15	10	9	15	10	8	9	16	6	5	5	13	10
3	6	6	17	7	13	18	63	39	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21
4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	42	35	53	77	33	28	17	9	37
5	--	19	24	12	13	8	20	26	21	18	17	13	10	12	12	13	15	13	12	10	10	6	6	4	14
6	3	3	2	3	2	8	10	21	22	23	21	17	12	12	12	13	15	15	20	10	11	9	7	5	12
7	4	2	2	3	2	2	9	19	22	22	18	18	13	12	13	14	15	12	7	10	5	5	5	2	10
8	2	1	1	2	1	1	8	16	16	23	17	13	11	8	12	11	11	11	11	11	8	4	3	6	9
9	3	2	3	6	6	4	8	12	8	10	10	7	6	6	6	6	8	7	7	5	4	4	8	3	6
10	2	3	3	3	2	3	11	24	19	18	14	18	19	11	14	14	15	10	11	8	5	5	4	3	10
11	2	2	1	1	1	0	5	13	15	14	13	13	8	--	--	--	--	19	13	8	5	3	5	4	7
12	2	2	2	2	3	6	12	15	19	20	13	12	6	8	9	8	7	6	10	6	3	2	3	4	8
13	3	7	4	2	3	6	34	29	23	22	22	9	12	18	16	8	11	18	13	5	3	4	2	4	12
14	4	6	2	3	12	10	15	20	23	32	22	15	7	4	3	3	2	2	6	3	1	1	1	4	8
15	4	0	0	1	3	3	8	13	21	12	2	1	0	0	4	8	10	2	2	2	5	8	14	6	5
16	3	3	3	3	4	3	6	6	6	3	3	2	3	2	2	3	3	3	2	2	2	2	1	1	3
17	1	1	1	1	0	0	0	1	1	1	1	1	0	1	1	1	2	2	2	1	2	1	1	1	1
18	0	0	0	0	0	0	1	4	5	8	9	12	12	13	15	14	21	16	14	28	20	15	13	11	10
19	--	7	11	8	7	6	8	21	32	28	25	27	34	34	32	28	20	29	22	15	27	32	21	20	21
20	10	10	5	5	7	11	20	29	38	47	33	23	23	19	17	22	23	24	21	14	11	9	12	10	18
21	7	15	25	34	43	53	34	47	37	36	23	25	27	22	19	20	10	5	6	6	4	3	2	2	21
22	1	1	1	1	2	3	13	20	24	24	21	17	6	9	8	8	7	13	5	6	5	6	10	13	9
23	10	8	12	4	6	6	14	21	12	14	10	4	5	9	9	11	9	8	8	6	5	5	5	6	9
24	7	6	2	4	8	8	26	37	23	18	11	10	8	9	12	9	9	6	6	5	5	7	12	10	11
25	3	5	5	11	11	11	28	30	43	21	10	7	29	24	13	4	4	3	3	5	2	3	4	10	12
26	8	7	5	5	8	17	17	13	11	10	5	1	0	0	0	0	0	2	0	1	2	2	6	12	6
27	5	6	2	1	2	3	10	18	12	6	2	1	1	1	1	2	3	2	4	6	2	2	5	5	4
28	6	4	7	6	4	8	28	33	17	8	5	3	2	0	2	2	1	1	1	0	1	1	0	0	6
29	0	0	0	0	0	0	1	21	5	13	26	74	74	56	27	8	4	2	3	2	3	2	2	2	14
30	1	1	0	1	1	1	6	6	12	7	6	8	11	12	9	4	7	5	5	8	9	12	8	4	6
31	6	2	0	2	3	6	30	46	22	30	22	17	10	14	13	10	13	10	7	6	8	5	5	4	12

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：二氧化氮

日期：2023年7月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	7	5	4	0	0	5	2	1	2	3	3	4	6	4	3	7	7	12	9	4	11	15	16	17	6
2	12	6	0	16	10	10	9	10	8	7	0	5	13	7	5	15	14	12	16	25	10	11	6	14	10
3	7	12	21	14	10	11	16	12	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	13
4	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	32	32	38	40	30	27	26	21	31
5	--	22	20	15	17	18	23	21	13	10	9	7	4	6	8	11	12	17	18	17	17	12	11	9	14
6	5	4	5	3	3	13	11	10	12	10	8	8	6	5	6	10	12	15	18	13	14	13	12	12	10
7	10	9	3	5	4	6	8	10	8	11	12	12	7	6	8	9	12	16	16	19	17	14	19	7	10
8	6	0	0	13	5	4	15	14	10	14	13	9	6	3	8	7	6	8	13	16	11	5	4	11	8
9	8	5	6	7	9	4	5	2	0	0	0	0	0	0	0	1	3	6	10	9	7	10	12	6	5
10	4	3	9	8	8	7	9	11	9	7	5	12	18	8	11	17	16	16	22	20	15	12	4	2	11
11	4	7	3	0	0	0	6	8	7	9	5	7	7	--	--	--	--	23	30	25	20	16	21	17	11
12	9	5	6	14	18	18	22	17	16	17	15	21	14	20	20	21	18	20	30	24	19	19	18	18	17
13	20	18	11	11	19	24	30	25	21	24	29	21	26	34	36	28	27	36	33	33	29	34	25	29	26
14	24	27	21	13	17	21	21	15	19	21	18	32	29	19	15	21	25	26	49	45	33	38	47	58	27
15	55	33	18	9	12	18	24	23	45	36	27	31	30	39	54	73	69	63	61	53	60	61	69	40	42
16	11	18	22	20	21	21	23	20	21	16	13	16	13	11	5	5	4	4	3	2	2	4	4	1	12
17	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	4	7	9	7	8	5	6	3	2
18	2	0	0	0	0	2	8	18	14	17	16	9	8	8	8	9	13	11	16	28	24	25	21	18	11
19	--	14	17	15	14	14	12	17	12	9	6	10	11	10	4	7	9	11	15	17	24	26	19	17	13
20	15	12	7	6	9	12	13	9	8	0	0	0	1	2	5	8	9	14	22	19	19	14	16	15	10
21	16	19	21	19	20	19	16	7	1	1	4	8	14	15	17	21	32	28	24	35	32	28	25	23	19
22	17	11	10	9	11	16	16	18	16	15	15	12	6	11	20	27	18	28	25	30	31	32	35	40	20
23	36	30	27	25	18	18	16	13	10	10	8	4	7	15	18	23	23	20	22	25	26	27	28	24	20
24	23	18	12	11	16	19	22	16	11	10	10	16	13	15	23	21	20	19	31	29	28	31	31	28	20
25	14	11	13	15	13	16	18	13	15	15	12	12	29	30	21	20	26	29	32	34	31	31	30	43	22
26	46	30	21	26	27	29	31	24	27	37	47	42	35	34	31	30	32	42	37	35	34	41	47	63	35
27	47	38	19	18	17	21	36	32	31	27	23	21	32	27	27	35	40	32	63	54	32	26	40	32	32
28	42	43	45	37	35	39	45	39	26	24	31	38	38	25	29	25	23	29	43	34	34	52	37	27	35
29	18	22	12	10	12	9	13	56	24	45	54	61	57	52	44	30	24	17	22	31	32	30	28	16	30
30	20	32	23	16	12	10	24	16	19	17	17	17	22	21	22	13	13	15	21	21	22	22	18	13	19
31	18	10	4	12	14	15	19	19	8	20	23	20	20	29	28	27	31	16	18	21	29	19	19	22	19

備註：
"--" 代表欠缺該段時間的空氣質素數據