

中華電力有限公司
每月時計空氣質素報告

屯門診所 二氯化硫		日期：2023年8月1 - 31日																													
監測物：		單位：微克/立方米																													
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	1	0	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	2	2	1	1	1	2	1
00:10	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	2	2	1	1	1	2	1
00:20	1	1	1	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	1	2	2	2	3	2	2	2	2	2	2
00:30	1	1	1	3	3	3	3	2	2	2	3	3	3	3	3	3	2	3	4	3	3	3	3	3	4	2	2	2	2	2	2
00:40	1	1	--	3	3	3	2	3	3	3	4	3	3	3	3	3	--	3	4	3	3	3	3	3	4	3	2	2	2	2	--
00:50	0	1	--	3	3	2	2	3	3	2	4	3	3	3	3	3	--	3	3	3	3	3	3	3	4	3	2	2	2	2	--
01:00	1	1	--	2	2	2	2	2	2	2	4	3	3	3	3	3	--	3	3	3	3	3	3	3	4	3	2	2	2	2	--
01:10	1	1	1	2	1	2	1	1	2	1	3	2	2	2	2	2	3	2	3	2	2	2	2	2	3	2	1	1	2	2	2
01:20	1	0	1	2	1	0	1	0	1	0	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
01:30	1	1	1	2	0	0	0	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	0	1	2	2	1	1	1	1
01:40	1	1	1	3	0	1	0	0	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1
01:50	1	1	1	2	0	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	2	1	1	1	1	1
02:00	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1
02:10	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	2	1	1	1	2	2	2	1	2	2	2
02:20	1	1	1	3	2	2	2	2	2	2	2	3	2	2	2	2	2	2	2	2	2	2	2	2	3	3	2	2	2	2	2
02:30	1	1	1	3	2	3	3	2	2	2	3	3	3	3	3	3	3	2	3	3	3	3	3	3	3	3	2	2	2	2	2
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:20	1	1	1	3	0	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	2	2	2	2	2	1	2	2	1	1
03:30	1	1	1	3	0	0	0	0	0	0	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
03:40	1	1	1	3	0	0	1	0	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	2	1	1	1	1	1
03:50	1	1	1	2	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
04:00	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2
04:10	1	1	1	3	1	1	1	2	1	1	1	2	1	1	2	1	1	2	1	1	1	2	2	1	2	2	2	1	1	1	2
04:20	1	1	1	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	3	2	2	2	2	2
04:30	1	1	1	3	3	2	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2
04:40	1	1	1	3	3	3	3	3	2	3	3	3	3	3	4	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2
04:50	1	0	1	2	3	3	3	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	2	2	2	2	2	2
05:00	1	1	1	2	2	2	2	2	2	2	3	3	3	3	3	2	3	3	3	3	3	3	3	3	4	3	2	2	2	2	2
05:10	1	1	1	3	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	2	1	2	1	1
05:20	1	1	1	3	0	0	1	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
05:30	1	1	1	3	0	0	1	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
05:40	1	1	1	3	0	0	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
05:50	1	1	1	3	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	2	1	2	1	1	1	1	2	1
06:00	1	2	1	2																											

中華電力有限公司
每月時計空氣質素報告

地點：		屯門診所															日期：		2023年8月1 - 31日						
監測物：		一氧化氮															單位：		微克/立方米						
日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	8	11	11	6	4	7	36	30	22	26	35	28	14	15	16	11	7	6	4	14	12	15	6	5	15
2	--	3	3	3	6	10	45	51	17	9	13	19	12	6	5	6	10	13	11	4	1	2	1	3	11
3	2	2	2	4	6	11	43	43	31	23	31	40	18	9	5	11	9	14	4	4	4	2	4	3	14
4	4	3	3	2	2	1	7	17	16	11	11	--	18	9	8	8	14	15	14	9	6	6	3	1	8
5	1	1	1	1	1	2	4	6	10	22	44	24	8	6	8	7	10	8	8	5	4	2	3	1	8
6	1	1	1	3	1	0	2	4	8	4	7	11	5	5	5	5	5	5	4	4	4	3	2	1	4
7	1	1	1	1	1	1	4	8	14	12	13	20	24	10	14	11	9	11	8	5	7	3	3	2	8
8	2	0	1	2	1	1	4	12	32	14	13	15	11	14	27	9	9	6	6	11	8	3	6	2	9
9	2	3	2	1	1	1	4	14	16	20	7	13	23	8	7	18	8	6	5	4	3	3	3	1	7
10	1	1	1	0	1	1	2	14	19	38	22	5	11	10	12	26	18	32	36	39	22	21	32	33	17
11	24	23	3	4	3	5	11	37	33	23	13	10	13	4	4	1	5	9	9	5	6	5	9	10	11
12	4	5	7	3	4	3	26	36	21	15	15	9	10	9	8	7	9	11	8	5	5	2	2	1	9
13	2	1	3	2	2	1	2	5	8	9	6	4	9	10	7	8	9	7	6	4	5	4	3	2	5
14	3	4	2	1	3	12	42	71	36	16	17	29	15	7	9	11	10	12	13	9	11	6	5	6	15
15	5	4	1	6	20	17	48	49	16	12	11	13	10	13	17	12	12	11	10	10	6	3	4	2	13
16	--	3	1	1	1	1	5	11	14	16	28	24	35	9	11	9	13	11	9	6	6	5	4	3	10
17	2	2	2	0	1	2	4	8	11	9	10	10	3	4	13	17	20	13	18	9	5	4	9	5	8
18	2	1	1	1	1	1	3	10	13	16	12	8	10	18	35	28	13	10	4	5	9	31	19	28	12
19	26	13	1	3	3	2	19	18	13	19	31	14	8	6	24	18	11	8	5	4	5	6	6	7	11
20	8	10	2	1	2	2	4	15	12	10	7	6	6	6	7	6	5	8	8	7	7	19	11	11	8
21	4	8	16	10	13	10	24	47	20	18	18	14	13	12	13	9	10	9	10	7	7	5	3	3	13
22	4	4	3	2	3	5	17	29	16	14	14	12	9	6	8	9	7	7	6	3	4	2	2	3	8
23	2	2	3	1	2	15	16	30	20	12	16	12	10	8	9	7	7	7	7	7	3	3	6	2	9
24	4	3	2	2	2	2	13	25	34	17	18	27	16	8	13	9	7	9	12	10	8	9	28	29	13
25	40	28	21	14	17	27	65	62	15	11	12	9	9	9	--	--	10	10	9	12	8	5	8	23	19
26	17	27	28	31	15	12	24	26	14	14	16	13	10	6	5	5	8	7	5	5	4	3	4	5	13
27	7	8	3	3	9	5	6	13	17	11	12	10	9	6	5	5	7	5	4	3	3	3	3	4	7
28	5	5	7	4	2	5	7	27	44	32	18	13	14	10	6	9	11	8	6	10	6	5	4	3	11
29	2	4	4	3	2	10	19	29	24	21	17	12	14	17	13	13	9	12	20	15	11	10	9	5	12
30	--	4	3	4	4	10	14	26	20	17	13	7	7	6	4	4	6	9	15	10	9	11	8	9	10
31	7	9	7	7	6	7	12	20	23	23	23	22	13	10	23	8	5	8	8	11	12	11	10	9	12

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：二氧化氮

日期：2023年8月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	23	23	20	15	12	12	17	11	14	21	29	34	29	21	20	21	20	30	34	49	49	54	46	40	27
2	--	32	35	26	32	32	36	32	26	21	29	39	35	28	30	51	65	53	50	37	30	37	24	29	35
3	31	17	11	24	25	25	32	31	23	26	34	36	31	32	45	72	41	40	27	33	25	16	17	17	30
4	29	26	24	16	12	18	25	26	24	21	20	--	29	22	22	15	23	25	28	23	23	22	17	12	22
5	8	5	7	6	4	14	15	17	14	28	29	30	18	9	7	7	8	11	16	13	12	12	12	8	13
6	10	8	3	6	5	6	11	10	14	10	11	14	5	4	3	3	3	6	10	16	13	15	13	7	9
7	8	10	2	2	3	14	20	22	21	14	18	23	26	16	25	22	20	28	29	23	24	17	18	15	18
8	16	9	16	30	14	10	20	25	30	24	23	23	23	26	36	20	21	17	26	30	26	24	23	22	22
9	27	27	21	13	5	7	18	27	29	28	14	29	35	32	27	38	30	28	29	31	24	22	19	14	24
10	12	8	4	9	9	9	13	32	27	37	26	9	23	25	32	51	49	58	61	63	66	60	57	54	33
11	47	49	29	33	20	22	28	41	37	39	39	47	43	35	53	41	35	31	31	26	30	31	31	36	36
12	23	26	27	14	16	25	39	35	34	27	24	21	30	23	20	25	21	32	29	26	23	11	12	19	24
13	13	11	13	9	6	13	12	21	21	19	21	14	14	16	15	25	27	26	27	26	32	31	29	20	19
14	27	32	13	3	17	30	30	33	28	27	30	34	22	16	18	32	32	45	38	32	32	36	29	36	28
15	32	27	18	27	31	22	25	26	15	16	15	19	14	16	21	22	27	31	34	34	32	25	25	27	24
16	--	28	18	9	5	10	17	22	18	25	29	34	46	22	23	21	26	28	37	29	28	29	23	19	24
17	15	15	9	9	5	7	13	22	18	20	23	30	15	25	36	36	52	65	66	37	28	37	44	35	28
18	26	19	6	25	19	19	20	31	29	40	46	30	33	42	47	46	42	49	46	56	61	68	59	61	38
19	55	45	24	25	24	21	28	28	36	56	41	28	39	44	66	52	41	46	52	54	49	48	44	38	41
20	35	29	22	14	15	16	17	14	6	6	7	7	8	4	7	5	4	12	18	26	26	39	28	30	16
21	25	26	29	24	26	21	19	18	13	15	12	14	17	19	22	16	16	23	23	20	20	18	13	13	19
22	11	20	12	10	14	19	22	20	12	14	13	13	14	11	17	20	21	18	18	18	15	8	11	12	15
23	11	13	18	12	9	19	24	23	17	15	18	18	18	14	17	12	13	17	22	25	9	17	30	19	17
24	15	11	13	10	4	10	22	25	28	15	20	30	26	19	26	26	16	29	31	36	35	42	46	45	24
25	44	37	30	29	27	25	27	28	15	16	17	16	25	21	--	--	27	39	34	45	43	31	36	41	30
26	40	36	34	38	32	27	25	21	12	14	15	13	14	16	16	19	31	29	22	25	17	15	25	26	23
27	27	30	16	30	36	32	22	25	22	14	12	11	13	11	11	14	14	14	16	22	20	18	15	20	19
28	18	30	28	19	12	22	20	30	30	26	18	19	23	21	20	21	21	22	24	45	33	29	27	21	24
29	13	10	13	19	14	18	20	24	21	26	29	21	31	41	55	66	51	60	64	62	51	36	39	31	34
30	--	12	11	7	11	21	28	30	30	35	52	28	30	29	23	25	33	37	45	35	31	26	18	20	27
31	17	20	17	15	13	15	23	27	28	33	41	47	33	43	44	35	28	44	38	34	34	30	19	15	29

備註：
"--" 代表欠缺該段時間的空氣質素數據