

中華電力有限公司 每月時計空氣質素報告																																
地點：	屯門診所															日期：	2025年2月1 - 28日															
監測物：	二氧化硫															單位：	微克/立方米															
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
00:00	4	6	5	4	6	5	6	4	5	1	2	2	5	2	2	2	3	1	1	1	1	0	1	1	2	2	0	1				
00:10	4	6	5	4	5	5	6	4	5	1	2	2	5	2	2	2	3	0	1	1	0	0	0	1	2	3	0	2				
00:20	3	6	5	4	5	5	6	4	5	1	2	2	5	2	2	2	4	0	0	1	0	0	0	1	2	2	0	2				
00:30	4	6	5	4	6	5	5	4	5	1	2	2	5	2	2	3	3	1	0	1	0	0	0	1	1	2	0	1				
00:40	4	6	5	5	6	5	5	4	5	1	2	2	--	2	2	3	3	1	0	1	0	0	0	1	1	1	1	--	1			
00:50	4	5	5	4	5	5	6	4	4	1	2	2	--	2	1	3	2	0	0	1	0	1	0	2	1	1	--	2				
01:00	5	6	5	4	5	5	5	4	5	1	2	2	--	2	1	3	2	1	1	0	1	2	0	1	0	1	--	1				
01:10	6	6	5	4	5	5	5	4	5	2	2	2	3	2	2	3	2	0	1	1	0	2	1	1	0	2	2	0				
01:20	6	6	5	4	5	5	5	4	4	1	2	2	3	2	2	3	2	0	0	1	0	2	1	0	0	2	2	1				
01:30	6	6	5	4	5	5	5	4	5	1	2	2	3	2	2	3	2	1	0	0	0	0	1	0	0	3	2	1				
01:40	6	7	5	4	5	5	5	4	5	1	2	1	2	1	2	3	2	1	0	0	0	0	1	0	1	4	1	1				
01:50	6	6	5	4	5	5	5	4	5	1	2	1	2	2	2	3	1	2	0	1	0	0	2	0	2	4	1	1				
02:00	5	5	5	4	5	5	5	4	4	1	2	1	2	2	1	3	2	2	0	1	0	1	2	0	2	3	2	1				
02:10	5	5	5	4	5	5	5	4	5	1	2	2	2	1	2	3	2	2	0	1	0	1	3	0	2	3	1	0				
02:20	5	5	5	4	5	5	5	4	4	1	2	1	2	2	2	3	2	2	0	1	0	0	2	0	3	3	1	1				
02:30	5	6	5	4	5	5	5	4	5	1	2	2	2	2	2	3	2	2	1	1	0	0	1	1	1	1	1	1				
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
03:20	3	5	5	3	5	3	3	3	1	1	0	0	2	0	0	1	1	0	1	0	0	0	0	0	0	1	1	0				
03:30	2	5	5	2	4	3	3	3	1	0	0	0	1	0	0	2	1	0	1	0	0	0	0	0	0	2	1	0				
03:40	2	4	4	2	4	2	3	3	1	0	0	0	1	0	0	2	0	0	1	0	0	0	0	0	0	1	0	0				
03:50	2	4	4	2	4	2	2	2	1	1	0	0	1	0	0	2	0	0	1	0	0	0	0	0	0	0	1	0	0			
04:00	4	6	4	4	4	4	4	4	2	1	0	1	1	0	0	3	1	0	1	1	0	0	1	0	0	1	0	1				
04:10	4	5	5	4	4	4	4	4	2	1	1	1	1	1	0	2	1	1	1	1	0	0	2	1	2	1	0	1				
04:20	5	5	5	4	4	4	5	4	2	1	1	0	2	1	0	2	1	0	1	1	0	0	1	1	2	0	1	0				
04:30	5	5	5	4	5	5	5	5	2	1	2	1	2	2	2	3	1	1	1	2	0	1	1	2	2	0	0	0				
04:40	6	5	5	4	5	5	5	5	2	2	3	1	1	2	2	3	1	1	1	1	1	2	1	2	2	0	0	0				
04:50	6	5	5	4	5	5	5	5	2	2	3	1	2	3	3	3	1	2	1	1	2	3	0	2	3	0	1	1				
05:00	5	5	5	4	5	5	5	5	2	2	2	2	2	2	3	3	1	2	1	1	2	2	0	1	1	2	1	2				
05:10	6	5	5	5	5	5	5	5	2	2	2	3	2	2	3	2	1	3	1	1	3	2	1	1	0	1	1	2				
05:20	6	5	5	4	5	5	5	5	2	2	2	3	1	2	3	2	1	3	1	1	2	2	2	1	0	1	1	2				
05:30	5	5	5	4	5	5	5	5	2	2	2	3	2	2	2	3	1	2	1	2	1	0	2	1	0	1	1	1				
05:40	5	5	5	4	5	5	5	5	2	2	2	3	1	2	2	2	1	3	1	1	0	0	3	1	0	0	1	1				
05:50	5	5	5	5	5	5	5	5	2	1	2	4	2	2	2	2	1	3	1	1	0	0	4	1	1	1	1	2				
06:00	5	5	5	4	5	5	5	5	2	2	2	3	1	2	3	3	1	2	2	1	0	0	3	0	2	1	2	2				
06:10	5	5	5	4	5	5	5	5	2	2	2	3	1	1	3	3	1	2	2	1	0	0	3	0	2	2	2	2				
06:20	6	4	5	5	5	5	4	5	2	2	2	3	1	1</																		

中華電力有限公司
每月時計空氣質素報告

地點：		屯門診所																日期：		2025年2月1 - 28日					
監測物：		一氧化氮																單位：		微克/立方米					
日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	3	3	2	2	2	3	7	20	22	18	13	7	10	16	13	8	10	10	7	5	7	16	29	39	11
2	35	41	31	25	10	3	5	4	9	5	7	7	8	9	9	8	8	8	4	5	4	3	4	2	11
3	3	3	2	9	6	3	5	10	14	14	12	--	12	--	11	8	6	8	6	6	4	4	3	3	7
4	3	2	2	2	2	3	5	8	12	9	10	8	9	5	6	7	9	9	5	7	17	31	32	27	10
5	34	20	11	6	5	9	34	38	23	16	12	14	13	6	6	9	9	9	10	6	6	7	8	6	13
6	5	5	4	2	3	2	18	17	27	21	15	12	9	13	17	10	8	13	12	5	4	8	5	4	10
7	4	4	4	2	3	3	7	8	13	14	12	14	15	11	7	8	8	8	10	7	4	4	3	3	7
8	3	2	2	2	3	2	3	6	8	9	9	7	7	6	5	5	5	6	5	4	5	4	4	4	5
9	4	3	2	2	3	3	4	3	5	5	5	5	5	5	6	3	3	2	3	5	5	2	2	5	4
10	3	7	2	2	2	3	13	63	26	25	17	--	--	16	14	10	8	7	12	6	26	40	36	12	16
11	5	3	2	1	2	2	6	33	31	22	16	28	15	12	13	13	21	19	17	20	9	8	22	26	14
12	--	5	2	1	3	4	9	27	35	29	34	30	23	18	13	33	67	76	103	100	102	108	117	119	46
13	112	25	9	6	3	3	9	16	15	17	16	18	10	10	--	8	8	17	21	27	10	4	3	5	16
14	5	5	2	3	4	4	8	10	15	12	11	16	25	30	37	25	18	19	16	14	6	5	5	5	13
15	4	3	4	3	4	10	41	46	33	22	17	13	11	11	10	12	18	15	13	8	6	8	11	13	14
16	27	47	45	52	58	60	66	71	57	31	16	7	8	10	4	4	4	4	5	6	16	22	6	10	27
17	26	6	3	3	2	3	4	10	15	9	--	--	--	--	--	--	5	5	6	5	5	4	5	7	7
18	7	4	3	1	2	2	5	19	12	7	10	10	8	5	5	5	5	5	6	3	2	2	2	2	6
19	2	2	1	1	2	2	3	9	9	9	13	8	13	10	11	14	18	17	11	11	4	3	2	3	7
20	3	3	3	2	5	3	6	24	27	36	24	15	12	11	12	11	8	7	4	6	4	5	3	2	10
21	2	2	2	3	3	3	5	9	9	13	12	15	15	16	13	16	13	15	13	14	8	11	5	3	9
22	2	1	2	2	2	2	5	7	10	12	13	11	8	7	7	7	8	6	8	4	5	6	5	4	6
23	8	4	4	4	5	4	5	7	11	10	11	12	10	10	7	8	5	7	7	4	4	6	4	3	7
24	3	2	4	3	4	3	6	15	18	20	19	15	14	13	14	10	9	7	5	14	5	5	3	2	9
25	2	2	2	1	2	2	3	19	14	13	18	--	--	--	11	9	9	10	12	11	9	10	9	12	9
26	--	33	20	11	9	13	19	33	49	32	--	21	18	--	13	12	13	17	13	8	10	4	4	4	17
27	7	8	7	11	10	8	15	62	57	24	--	28	19	19	13	10	7	7	7	5	5	4	4	16	15
28	36	30	22	8	7	9	67	104	65	56	31	21	22	18	16	15	14	15	7	18	25	12	6	11	26

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2025年2月1 - 28日

監測物：二氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	26	21	14	7	9	13	26	39	42	46	33	14	24	38	36	42	57	64	58	45	57	64	61	56	37
2	52	56	56	51	31	21	25	23	32	8	17	20	21	31	34	32	37	44	35	48	46	37	10	3	32
3	1	1	2	19	9	0	2	6	9	12	9	--	7	--	9	8	5	11	5	8	4	5	1	0	6
4	0	0	0	0	0	0	4	12	13	9	7	4	4	3	5	16	34	45	36	47	65	68	57	52	20
5	51	49	42	31	27	40	57	59	50	36	30	33	36	18	23	44	56	61	77	35	42	56	55	48	44
6	39	35	35	23	19	18	51	52	65	56	43	46	29	42	62	50	60	78	65	43	35	37	27	23	43
7	15	8	9	2	1	4	10	20	25	23	20	22	24	22	12	14	13	14	20	19	10	9	4	3	13
8	1	0	0	0	0	0	6	15	16	16	11	11	12	12	13	16	22	18	17	12	15	18	15	14	11
9	15	8	4	0	0	0	0	0	0	0	0	0	0	5	13	8	12	17	43	42	19	3	15	39	10
10	31	34	0	1	0	7	50	75	53	47	36	--	--	60	63	64	74	84	104	88	97	89	88	73	55
11	53	46	23	14	9	17	45	77	69	57	48	70	59	58	62	60	83	87	92	93	79	77	80	69	59
12	--	41	20	12	13	20	39	55	55	51	52	49	45	41	41	58	76	74	76	78	81	78	71	64	52
13	60	46	36	23	14	13	33	42	41	41	41	40	19	23	--	23	35	64	73	76	43	9	12	21	36
14	13	6	0	1	3	2	15	17	25	17	15	26	46	51	51	46	51	65	68	67	40	39	37	40	31
15	43	28	29	6	11	26	41	55	52	45	38	30	24	25	28	40	60	70	76	68	59	56	58	64	43
16	68	66	65	52	48	44	42	46	49	44	33	22	33	65	66	71	70	97	99	109	116	115	101	93	67
17	73	26	31	4	0	8	22	38	53	27	--	--	--	--	--	--	38	31	42	40	39	29	49	69	34
18	57	48	37	3	2	7	54	77	55	35	49	56	48	45	50	46	58	66	68	37	9	2	0	2	38
19	7	0	0	0	0	0	9	28	30	19	29	21	43	38	44	59	69	75	70	70	52	29	15	25	31
20	16	9	17	13	16	15	28	65	69	73	60	44	42	46	48	47	48	46	24	33	21	18	15	10	34
21	4	2	4	1	3	8	13	20	22	38	26	32	30	40	42	46	50	67	75	78	71	41	22	9	31
22	0	0	0	0	0	0	4	13	17	26	22	21	17	11	14	16	22	17	26	17	24	30	18	14	14
23	18	5	0	0	0	0	0	0	0	0	2	2	3	8	8	8	8	15	13	8	7	5	1	0	5
24	0	0	0	0	0	0	2	15	15	17	12	11	9	13	25	25	41	51	50	57	19	20	11	0	16
25	0	0	0	0	0	0	6	46	43	36	43	--	--	--	49	43	50	68	78	70	63	56	50	50	36
26	--	53	48	32	29	30	29	37	38	37	--	31	33	--	41	53	68	82	78	72	52	30	22	35	44
27	40	49	44	42	29	14	32	60	61	40	--	53	49	58	50	49	44	60	73	67	72	57	59	74	51
28	68	60	57	41	35	35	51	60	57	57	49	38	42	39	43	48	47	60	51	66	76	61	45	57	52

備註：

"--" 代表欠缺該段時間的空氣質素數據