

中華電力有限公司																															
每月時計空氣質素報告																															
地點：	屯門診所															日期：	2025年4月1 - 30日														
監測物：	二氧化硫															單位：	微克/立方米														
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	1	1	2	2	1	2	3	1	1	2	2	2	2	2	4	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	
00:10	1	2	2	3	1	2	3	1	1	2	2	2	2	2	4	2	2	2	2	2	2	2	2	2	2	2	2	2	3	2	
00:20	1	2	2	3	1	2	3	1	1	2	2	2	2	3	4	3	2	2	2	2	2	2	2	2	2	2	1	2	3	2	
00:30	1	1	2	2	1	2	3	2	2	2	2	2	2	3	5	3	2	2	2	2	2	3	2	2	2	2	1	2	3	2	
00:40	1	1	2	2	1	2	3	2	2	--	2	2	2	3	4	3	2	2	3	2	2	3	1	--	2	2	1	2	3	2	
00:50	1	1	3	2	1	2	4	2	2	--	2	2	2	3	4	3	2	2	3	2	2	2	2	--	2	2	1	2	3	2	
01:00	1	1	2	2	1	2	2	2	2	--	2	3	2	4	3	3	2	2	3	2	2	2	2	--	2	2	1	2	3	2	
01:10	1	1	2	2	1	2	2	2	2	2	2	3	2	4	3	2	2	2	3	2	2	2	2	2	2	2	1	2	3	2	
01:20	1	1	2	1	1	2	2	2	2	2	2	3	2	4	3	2	2	2	3	2	2	3	2	2	2	2	2	2	3	2	
01:30	1	1	2	2	1	2	2	1	2	1	2	2	2	3	3	2	2	2	3	2	2	2	2	2	2	2	1	2	3	2	
01:40	1	1	2	2	1	2	2	1	2	1	2	3	2	2	3	2	2	2	3	3	2	2	2	2	2	2	1	2	3	2	
01:50	1	1	2	1	2	2	2	1	2	1	2	3	2	2	2	2	2	2	3	3	2	3	2	2	2	3	1	2	3	2	
02:00	1	1	1	1	1	2	2	1	2	1	2	3	2	2	2	2	2	2	3	3	2	2	3	2	2	3	1	2	3	2	
02:10	1	1	2	1	1	2	2	1	2	2	2	2	2	2	2	2	2	2	3	3	2	3	2	2	2	3	1	2	3	3	
02:20	1	2	2	1	1	1	2	1	2	2	2	2	2	2	2	2	2	2	3	2	2	2	3	3	2	3	2	2	3	2	
02:30	1	1	2	2	1	1	2	2	2	2	2	2	2	4	2	2	2	2	3	2	2	2	3	2	2	2	2	2	3	2	
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:20	1	0	2	1	1	0	2	0	2	2	1	3	0	4	1	2	0	2	1	3	1	3	1	3	2	2	1	3	2	2	
03:30	1	0	2	0	1	0	2	0	2	1	1	2	0	4	1	1	0	2	1	2	0	2	1	2	1	2	0	2	1	2	
03:40	1	0	2	0	1	0	2	0	2	1	0	2	0	4	1	2	0	1	0	2	0	2	0	2	1	2	0	2	1	1	
03:50	1	0	1	0	1	0	2	0	2	1	0	2	0	5	0	2	0	2	0	2	0	2	1	2	1	2	0	2	0	1	
04:00	1	2	1	2	1	2	1	1	3	2	2	2	2	5	3	2	2	2	1	2	1	2	2	2	2	2	1	2	2	1	
04:10	1	2	1	2	1	2	1	1	3	2	2	1	2	5	3	2	2	2	1	1	2	2	2	2	2	2	1	2	2	2	
04:20	1	2	2	2	1	2	2	1	2	2	2	2	2	5	3	1	2	2	1	2	2	2	2	2	2	2	1	1	2	2	
04:30	1	2	2	1	1	2	2	2	2	2	2	2	2	5	2	2	2	2	2	2	2	2	2	2	2	2	1	2	3	2	
04:40	1	2	2	1	1	2	2	2	2	2	2	2	2	5	2	1	2	2	2	3	2	3	2	2	2	2	2	3	2	2	
04:50	1	2	1	2	1	2	2	2	2	2	2	2	2	5	3	2	2	2	2	3	2	2	2	2	2	3	2	3	2	2	
05:00	1	2	1	2	1	2	2	2	2	2	2	2	2	5	3	2	2	2	2	3	2	2	2	2	2	2	1	2	3	2	
05:10	1	2	1	2	1	2	2	1	3	2	2	2	2	6	3	2	2	2	2	3	3	2	2	2	2	2	3	2	2	2	
05:20	1	3	2	2	2	2	2	1	3	2	2	2	2	6	3	2	3	2	2	3	3	2	2	2	2	2	3	3	2	2	
05:30	2	2	2	2	1	2	3	1	2	2	2	3	2	5	3	2	3	2	2	3	2	2	2	2	2	2	2	3	2	2	
05:40	2	2	2	1	1	2	3	1	3	2	2	3	2	6	4	2	3	2	2	3	2	2	2	2	2	2	2	3	2	2	
05:50	1	2	2	2	1	2	3	1	3	2	2	3	2	6	3	2	3	2	2	2	3	2	2	2	2	2	2	3	2	2	
06:00	1	2	2	2	1	2	4	2	3	2	2	3	2</																		

中華電力有限公司
每月時計空氣質素報告

地點：	屯門診所																日期：	2025年4月1 - 30日							
監測物：	一氧化氮																單位：	微克/立方米							
日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	6	4	4	2	4	5	15	30	25	20	16	15	10	8	4	8	6	5	5	13	27	43	33	9	13
2	24	11	21	17	30	39	79	98	42	18	13	8	10	7	6	5	5	3	2	4	7	6	4	11	20
3	29	29	21	23	25	23	95	83	23	20	7	6	14	6	7	6	4	5	3	2	2	15	12	22	20
4	28	9	6	12	15	21	49	60	6	6	5	4	2	2	3	3	3	3	2	2	2	1	1	1	10
5	1	1	2	2	2	1	5	9	11	13	12	14	11	7	7	7	6	5	6	12	7	7	8	10	7
6	5	9	5	4	8	6	25	23	7	5	5	4	2	5	5	10	14	28	28	15	7	5	10	38	11
7	35	23	30	22	16	22	74	93	51	31	22	9	7	9	7	7	5	7	5	3	1	0	1	1	20
8	5	5	5	1	1	2	13	26	53	52	22	6	10	11	10	7	7	3	4	4	3	3	4	2	11
9	--	8	10	17	26	33	25	52	30	14	--	--	--	4	5	6	5	5	4	3	2	2	1	1	13
10	1	2	2	1	2	6	7	23	21	11	13	11	9	11	10	9	12	10	8	11	6	5	3	1	8
11	1	1	2	3	2	9	6	14	16	24	27	22	13	10	12	12	13	12	7	6	5	3	4	4	10
12	3	3	2	2	3	4	10	22	30	32	28	28	25	20	15	16	12	7	4	5	2	2	2	2	12
13	2	2	2	1	1	1	2	1	2	3	3	2	2	2	2	2	2	3	3	3	6	9	11	12	3
14	15	45	42	35	48	71	136	100	30	14	15	15	6	5	2	1	1	1	3	7	11	18	58	76	31
15	43	21	14	19	20	23	107	220	81	13	4	3	2	3	3	2	2	5	8	4	1	0	0	2	25
16	0	1	0	0	2	4	43	73	9	8	--	--	--	4	4	4	4	3	3	3	2	2	2	1	8
17	1	1	3	1	3	9	10	14	15	9	9	9	7	5	5	6	5	3	2	3	2	4	1	2	5
18	2	2	2	1	1	2	7	17	18	23	20	15	12	11	10	9	8	7	6	8	6	5	4	4	8
19	4	2	2	2	2	3	5	10	16	18	23	17	12	12	11	9	8	6	7	5	4	5	4	3	8
20	4	2	2	2	4	8	12	10	11	12	6	8	6	5	5	4	6	6	4	3	3	3	3	3	6
21	4	3	2	2	2	3	6	10	15	15	16	13	10	10	8	9	10	10	8	7	5	3	3	5	7
22	6	3	4	3	4	4	12	22	17	18	15	15	15	14	14	14	13	18	19	12	10	7	6	4	11
23	--	3	4	2	2	3	7	14	19	25	21	21	13	8	12	16	16	15	13	13	10	9	7	7	11
24	5	6	6	4	5	5	11	27	26	20	19	18	14	17	15	15	16	17	17	11	5	2	5	5	12
25	5	5	4	4	3	7	13	34	22	51	35	19	22	23	23	26	25	22	39	29	32	40	17	4	21
26	2	3	4	2	1	1	1	5	4	5	7	6	8	7	6	6	5	4	3	3	1	2	2	2	4
27	1	1	1	1	1	1	2	3	3	6	9	10	8	7	6	7	8	6	6	7	4	8	8	5	5
28	3	5	6	6	6	7	11	46	87	56	44	37	10	6	4	2	1	1	3	9	26	63	77	23	22
29	25	30	35	3	1	2	7	17	11	9	4	6	5	6	5	5	4	4	2	2	1	0	1	0	8
30	0	0	0	0	1	1	2	4	5	6	6	7	8	5	5	6	5	6	4	4	4	4	4	4	4

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：		屯門診所															日期：		2025年4月1 - 30日						
監測物：		二氧化氮															單位：		微克/立方米						
日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	17	14	14	9	6	7	13	20	19	17	17	16	16	23	26	26	27	28	35	63	64	62	49	37	26
2	42	36	39	32	35	34	40	50	39	25	24	18	23	18	35	42	57	61	40	45	56	61	54	59	40
3	69	70	61	59	57	58	70	75	60	57	29	29	61	47	53	55	49	55	42	55	55	91	81	65	58
4	89	74	64	69	76	74	81	81	26	31	29	32	13	13	40	31	36	43	42	24	4	0	7	4	41
5	10	7	5	0	4	4	11	24	37	45	40	38	34	31	31	33	37	30	35	55	37	35	37	36	27
6	30	31	25	24	24	22	29	24	14	10	9	9	10	37	55	84	76	88	99	98	86	58	72	75	45
7	70	62	55	48	46	49	54	66	75	76	73	50	42	53	51	58	59	84	85	71	48	34	38	58	59
8	80	72	56	42	25	42	64	81	94	96	69	30	42	41	48	42	60	40	46	64	55	62	66	52	57
9	--	54	62	54	51	49	44	52	58	45	--	--	--	19	23	24	26	27	41	29	26	22	17	12	37
10	12	15	15	15	19	23	24	40	41	30	28	22	21	26	28	30	38	36	41	57	42	36	28	16	28
11	13	13	9	15	15	24	23	28	29	36	36	24	18	15	19	21	21	23	18	20	17	12	17	15	20
12	11	8	6	9	12	12	15	23	24	24	22	22	22	18	19	24	18	21	18	19	19	17	9	10	17
13	9	3	2	2	0	4	10	5	6	7	4	3	6	6	9	11	13	23	26	40	49	56	64	62	18
14	66	71	72	69	71	76	82	73	57	44	56	55	50	47	43	38	38	43	133	153	146	148	158	153	81
15	141	127	121	102	99	94	113	132	135	91	56	38	30	53	84	108	82	76	102	91	62	28	46	59	86
16	28	25	21	38	65	73	106	111	56	55	--	--	--	25	22	30	32	31	44	47	29	30	37	25	44
17	15	22	45	26	36	46	40	39	44	32	31	29	23	15	21	24	22	18	19	21	28	23	19	18	27
18	16	7	6	4	6	22	36	38	31	30	28	26	24	21	18	19	15	16	14	15	13	7	7	9	18
19	5	0	0	1	0	2	7	10	12	12	13	9	4	7	8	10	12	15	18	16	12	11	8	5	8
20	6	1	0	2	6	11	12	9	9	6	0	0	0	0	0	2	2	5	7	9	9	5	9	15	5
21	15	8	3	2	0	2	6	5	5	4	3	1	5	0	1	3	4	9	15	17	13	8	12	14	6
22	14	7	7	6	8	11	15	15	13	11	8	10	10	9	8	10	12	19	28	23	24	28	17	16	14
23	--	10	12	10	8	9	13	12	17	16	13	13	6	4	11	18	23	24	22	24	20	21	13	12	14
24	10	10	12	7	8	3	9	15	16	15	16	18	15	17	16	16	18	21	26	19	11	8	20	23	15
25	21	17	14	12	14	22	28	50	43	51	48	38	36	38	39	38	29	31	41	32	33	36	26	5	31
26	3	6	7	2	0	0	2	14	13	16	22	19	23	25	32	37	31	23	17	14	1	6	5	7	14
27	2	0	0	0	0	2	7	15	17	20	29	28	27	26	26	21	30	32	42	45	37	45	49	34	22
28	23	25	29	34	40	37	35	40	41	42	34	35	22	26	25	45	49	47	57	48	48	48	47	42	38
29	44	45	46	6	3	6	38	48	32	24	17	30	39	47	50	54	57	63	65	58	45	32	40	31	38
30	20	15	15	10	10	11	22	32	33	29	30	33	40	23	28	33	26	37	32	32	36	35	41	28	27

備註：

"--" 代表欠缺該段時間的空氣質素數據