

中華電力有限公司																															
每月時計空氣質素報告																															
地點：		屯門診所										日期：		2025年11月1 - 30日																	
監測物：		二氧化硫										單位：		微克/立方米																	
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	2	2	2	2	2	3	3	2	3	3	3	3	2	2	4	2	4	2	1	2	3	3	6	4	5	5	6	3	4	4	
00:10	2	2	2	2	2	3	3	3	4	3	3	2	2	2	4	2	4	2	0	2	3	3	6	4	5	4	6	4	5	4	
00:20	2	2	2	2	2	3	3	2	4	3	3	2	2	2	5	2	4	2	0	2	3	3	6	3	5	5	6	3	5	4	
00:30	2	2	3	2	2	3	3	2	4	3	3	2	2	2	4	2	3	2	1	2	3	3	5	3	5	4	6	4	5	4	
00:40	2	2	2	2	2	--	3	2	4	2	3	2	2	2	4	2	3	2	1	--	3	3	5	4	5	4	5	4	5	4	
00:50	2	2	2	3	3	--	3	2	4	3	3	3	2	2	4	2	3	2	1	--	3	3	5	4	5	4	5	3	6	4	
01:00	2	3	2	3	2	--	3	2	4	2	3	2	2	2	4	2	3	3	1	--	3	3	5	3	5	4	5	3	5	4	
01:10	2	3	2	3	2	3	2	2	3	3	3	2	2	2	4	2	3	2	1	2	3	3	4	3	5	4	4	4	4	4	
01:20	2	3	2	2	3	4	3	2	3	3	2	2	2	2	3	2	2	2	1	2	3	3	4	4	5	4	4	3	5	4	
01:30	2	3	2	2	2	3	2	2	4	3	3	2	2	2	4	2	3	2	1	2	3	3	4	4	5	4	4	3	5	4	
01:40	2	2	2	3	3	3	2	2	3	3	3	2	2	2	4	2	3	2	2	2	3	3	4	5	5	4	4	3	5	3	
01:50	2	3	2	3	3	3	3	2	3	3	3	2	2	2	4	2	3	2	2	2	3	3	4	4	5	4	4	3	5	3	
02:00	2	3	2	3	3	3	2	3	3	3	3	2	2	2	4	2	3	2	2	2	3	3	4	4	5	4	4	3	4	3	
02:10	2	3	2	2	3	3	2	3	3	3	3	2	2	2	4	2	3	2	2	2	3	3	4	4	5	4	4	3	5	3	
02:20	2	3	2	2	3	3	3	2	3	3	2	2	2	2	3	2	3	2	2	2	3	3	4	4	4	4	4	3	4	3	
02:30	2	3	2	2	3	3	3	2	3	3	3	2	2	2	3	2	3	2	2	2	3	3	4	4	4	4	4	3	4	3	
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:20	2	1	2	2	2	4	1	3	2	1	3	1	1	2	2	1	3	2	1	2	1	1	4	2	4	2	3	4	2	1	
03:30	2	1	2	2	1	4	1	2	1	1	3	1	1	2	2	1	3	1	0	2	1	1	3	1	4	2	3	3	3	1	
03:40	2	1	2	2	1	4	0	2	1	1	2	1	0	2	2	1	3	1	0	2	1	1	3	1	4	2	2	3	3	1	
03:50	2	1	2	2	1	3	0	2	1	1	2	1	0	2	1	0	3	1	0	2	1	1	3	1	4	2	2	3	2	1	
04:00	1	2	2	2	2	3	2	2	3	2	2	2	2	2	3	2	2	2	1	2	2	2	3	2	4	3	4	3	3	2	
04:10	1	2	2	2	2	3	2	2	3	2	2	2	2	2	3	2	2	2	2	2	3	2	3	2	4	4	4	3	4	3	
04:20	2	2	2	2	2	3	2	2	3	2	2	2	2	2	3	2	2	2	1	2	3	3	3	3	4	4	4	3	4	3	
04:30	2	2	2	2	2	3	3	2	3	2	3	2	2	2	3	2	2	2	2	2	3	3	3	2	4	4	5	4	4	3	
04:40	2	2	2	3	3	3	3	2	3	2	3	2	2	2	3	2	3	3	2	2	3	3	4	3	4	4	5	4	4	3	
04:50	2	2	2	3	2	3	3	2	4	2	3	2	2	2	3	2	3	2	2	2	3	3	3	3	4	4	4	4	4	3	
05:00	2	2	2	3	3	3	3	2	3	2	3	2	2	3	3	2	3	2	1	2	3	3	3	3	4	4	4	4	4	3	
05:10	2	3	2	2	3	3	3	2	3	3	3	2	2	3	3	3	3	2	2	2	3	3	3	3	4	4	4	4	4	3	
05:20	2	2	2	3	3	3	3	2	3	3	2	2	2	3	3	2	3	3	2	2	3	3	3	3	4	4	4	4	4	3	
05:30	2	2	2	3	2	3	3	2	3	3	3	2	2	2	3	2	3	2	1	2	3	3	3	3	4	4	4	4	4	3	
05:40	2	2	2	3	2	3	3	2	3	2	3	2	2	3	3	2	3	2	1	2	3	3	4	3	4	4	4	4	4	3	
05:50	2	2	2	3	2	3	2	2	3	3	2	2	2	2	3	2	3	2	2	2	3	3	4	3	4	4	4	4	5	3	
06:00	2	2	2	3	2	3	3	2	3	2	3	2	2	2	3	2	3	2	2	2	2	3	4	3	4	3	4	3	5	3	
06:10	2	2	2	2	3	3	2	2	3	3	3	2	2	2	2	2	4	2	2	2	2	3	4	3	4	3	4				

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2025年11月1 - 30日

監測物：一氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	5	4	4	4	4	4	4	10	16	14	13	10	9	8	8	8	9	9	8	9	7	6	8	7	8
2	11	23	12	9	7	7	7	11	14	11	8	5	4	4	4	3	3	3	4	4	6	10	7	7	8
3	6	7	6	5	4	4	6	11	16	16	--	10	11	9	7	8	9	8	11	6	4	15	5	6	8
4	5	5	5	5	3	5	8	18	22	27	22	23	13	13	11	13	9	14	18	14	10	9	8	7	12
5	--	6	5	4	4	7	11	23	22	15	15	16	8	13	4	7	3	3	4	9	9	7	7	13	9
6	11	13	16	26	13	11	18	29	38	20	8	8	6	6	6	6	10	7	10	6	4	9	4	3	12
7	4	3	2	3	3	2	4	7	10	11	13	10	7	8	7	10	8	7	8	7	7	6	6	14	7
8	4	4	3	5	3	3	3	5	10	10	9	8	7	5	6	4	7	8	8	11	9	11	23	9	7
9	28	16	7	8	7	11	19	38	22	11	5	8	9	9	5	5	6	4	4	6	6	6	6	4	10
10	4	3	4	3	4	5	7	8	12	11	12	11	7	7	6	6	6	7	8	5	5	4	4	7	7
11	14	6	3	4	4	5	6	8	16	15	13	13	10	15	11	11	12	9	11	6	4	3	3	4	9
12	3	3	3	2	2	3	4	13	11	11	7	7	5	4	6	7	8	8	8	5	4	3	3	3	6
13	3	4	2	3	3	3	3	9	14	16	14	10	7	5	6	9	11	12	8	5	5	4	3	3	7
14	4	4	3	4	5	8	13	31	38	28	20	22	12	8	5	7	3	6	16	23	43	56	62	47	20
15	45	38	21	8	7	6	12	25	24	24	10	6	3	4	4	6	4	3	3	3	4	3	4	3	11
16	5	5	2	2	2	4	3	5	5	4	3	3	3	3	2	2	2	2	2	3	6	13	23	31	6
17	26	10	10	5	6	13	46	93	29	8	9	4	4	3	4	5	3	2	7	16	8	2	3	2	13
18	2	5	3	1	2	2	4	6	6	6	6	6	6	5	6	4	9	7	7	7	3	2	3	2	5
19	--	2	2	1	1	2	4	9	14	12	12	11	9	12	12	9	19	12	17	9	11	5	4	3	8
20	3	3	2	3	2	4	11	15	19	21	20	19	11	12	9	13	11	17	17	29	12	10	7	9	12
21	7	3	3	3	3	4	4	10	18	20	13	12	7	4	3	6	4	8	20	19	30	19	12	7	10
22	7	5	4	3	7	8	22	37	27	18	15	11	7	5	7	4	5	6	6	10	43	76	59	61	19
23	73	37	37	15	11	18	46	25	15	10	6	5	3	2	2	2	1	1	1	5	15	23	12	10	16
24	14	29	13	3	3	7	5	15	19	16	12	10	9	7	4	4	5	4	12	30	55	101	57	17	19
25	4	2	2	1	1	1	3	5	7	8	6	6	6	5	5	5	5	5	6	13	12	7	14	3	6
26	5	3	2	3	2	3	4	27	25	15	8	8	6	4	5	4	4	6	29	92	86	93	93	89	26
27	69	20	3	2	2	3	7	9	14	12	--	12	8	6	6	7	9	6	12	12	10	4	3	2	10
28	2	3	2	2	2	2	5	22	23	14	12	10	6	6	5	6	7	13	34	65	114	102	105	87	27
29	78	66	43	35	31	33	60	79	61	32	17	13	8	17	14	14	7	4	4	6	10	20	13	16	28
30	14	17	5	2	3	2	3	3	5	6	7	7	10	5	5	5	5	5	5	5	7	8	7	6	6

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2025年11月1 - 30日

監測物：二氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	17	13	14	14	11	12	18	33	35	33	35	41	40	44	37	35	40	42	44	41	33	27	30	28	30
2	30	45	39	29	21	22	24	27	25	20	22	19	21	23	36	24	26	30	40	33	31	37	27	24	28
3	17	20	20	15	14	14	20	29	38	37	--	32	37	42	41	50	57	59	50	31	28	32	27	27	32
4	21	17	18	13	12	15	22	34	37	43	40	40	29	32	28	34	33	44	48	39	38	31	29	26	30
5	--	20	21	12	12	17	23	30	26	22	24	28	23	46	46	66	71	97	81	76	55	48	39	45	40
6	40	36	39	36	29	27	30	31	39	31	15	20	17	19	21	32	39	37	56	27	19	21	18	10	29
7	18	10	6	4	2	6	10	21	25	23	21	18	17	19	23	25	18	21	19	22	23	17	12	16	17
8	11	10	8	12	3	3	8	18	17	16	18	15	16	21	23	23	39	56	64	58	52	48	62	58	27
9	64	60	36	45	42	46	47	48	41	38	27	43	60	60	62	43	16	11	17	13	15	17	15	15	37
10	8	8	9	9	12	13	15	13	14	15	17	21	21	23	21	21	26	36	30	24	21	12	11	11	17
11	16	9	7	7	6	7	13	15	19	21	21	26	25	35	29	31	34	31	35	25	17	13	13	15	20
12	11	13	12	14	7	10	18	36	29	32	21	23	21	20	24	29	29	31	25	19	19	13	13	10	20
13	9	8	3	4	4	5	10	20	25	26	30	28	25	30	27	31	42	49	32	23	19	21	17	14	21
14	14	14	10	9	13	19	23	33	34	29	25	31	28	28	32	55	59	75	83	95	93	84	74	70	43
15	63	64	60	52	45	44	48	52	52	47	29	28	21	23	26	61	63	67	77	69	50	60	48	51	50
16	52	37	18	12	26	34	19	34	20	13	10	11	19	23	24	26	26	29	61	68	82	90	93	91	38
17	82	67	61	43	51	55	60	74	58	34	35	29	32	28	34	92	102	106	95	101	80	36	19	15	58
18	23	32	21	12	12	13	27	35	33	24	26	21	27	26	23	20	32	30	31	32	22	11	11	13	23
19	--	9	8	6	3	8	18	28	35	30	27	29	25	34	40	34	52	48	49	39	41	25	18	17	27
20	16	15	16	15	15	17	33	42	44	46	42	43	33	40	39	54	59	67	66	78	63	57	56	63	42
21	42	27	22	25	18	18	24	43	52	47	36	37	33	33	36	47	42	74	93	89	104	92	79	57	49
22	59	44	47	27	50	52	64	65	62	54	48	43	37	33	32	42	78	108	119	122	137	131	123	115	71
23	109	94	91	74	73	70	72	64	54	41	33	30	22	23	30	53	86	96	120	130	151	156	135	111	80
24	108	104	94	40	36	56	54	73	72	61	45	42	41	38	49	60	94	123	160	170	160	154	134	94	86
25	41	15	8	12	10	14	21	42	37	37	28	24	27	28	30	40	40	48	66	89	80	71	73	48	39
26	35	26	23	22	15	23	30	71	67	52	38	36	38	33	44	39	49	83	130	153	128	120	113	110	62
27	99	84	47	17	14	27	35	47	47	44	--	43	31	26	31	40	45	48	64	64	56	41	34	22	44
28	23	23	19	14	16	22	41	69	67	47	40	43	32	34	45	47	52	87	118	126	123	116	114	110	60
29	102	91	82	73	71	68	73	72	78	70	53	50	45	75	88	105	117	135	140	130	133	142	124	125	93
30	114	108	63	31	36	38	52	34	32	32	36	38	38	32	42	48	57	58	40	44	48	47	45	42	48

備註：

"--" 代表欠缺該段時間的空氣質素數據