

中華電力有限公司 每月時計空氣質素報告																																	
地點：		屯門診所														日期：		2025年12月1 - 31日															
監測物：		二氧化硫														單位：		微克/立方米															
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
00:00	3	5	3	3	3	2	4	5	3	2	3	3	2	2	3	3	4	7	3	3	6	3	3	4	6	2	3	4	4	5	4		
00:10	3	5	3	3	2	2	4	5	3	2	4	3	2	2	3	3	3	7	3	3	5	3	3	4	6	2	3	5	5	5	4		
00:20	3	4	3	3	2	2	4	4	3	2	3	3	2	3	3	3	3	7	3	3	5	2	2	4	6	3	3	6	5	6	5		
00:30	3	3	3	3	2	2	4	5	2	2	3	3	2	3	3	3	4	6	3	3	5	3	2	4	6	3	3	5	6	6	5		
00:40	3	4	3	--	2	2	4	5	2	2	3	3	2	3	3	3	4	--	3	3	5	3	2	4	6	3	3	5	5	5	5		
00:50	3	3	2	--	2	2	4	4	2	2	3	3	3	2	3	3	3	--	3	3	5	3	2	4	6	3	3	4	5	6	5		
01:00	3	3	3	--	3	3	4	4	2	3	3	3	3	2	3	3	4	--	3	3	5	3	2	4	5	3	3	4	5	5	5		
01:10	3	3	3	3	2	3	4	4	4	2	2	3	3	3	2	3	3	4	5	3	3	5	3	2	4	5	3	3	4	4	4		
01:20	3	3	3	3	2	3	4	4	2	3	4	4	3	2	3	3	4	5	3	3	4	2	2	4	4	3	3	5	4	4	5		
01:30	2	4	3	3	2	3	4	3	2	2	4	3	2	2	3	3	4	5	3	3	4	2	2	5	5	3	3	5	4	5	5		
01:40	3	4	3	3	1	3	4	4	2	2	3	3	2	2	3	3	4	5	3	3	4	2	3	4	5	3	3	3	4	4	5		
01:50	3	4	4	3	2	3	3	4	2	2	3	3	2	2	3	3	4	5	3	3	3	3	3	4	4	3	3	4	3	5	4		
02:00	3	3	3	2	1	3	3	4	3	2	3	3	2	2	2	3	4	4	3	3	4	2	2	4	4	3	3	4	3	5	4		
02:10	3	3	3	3	2	3	3	4	2	2	3	3	2	2	3	3	4	4	3	3	4	3	2	4	4	3	3	4	3	4	4		
02:20	3	3	4	3	2	3	3	4	2	2	3	3	2	2	2	3	4	4	3	3	4	3	3	3	4	3	3	4	4	4	4		
02:30	3	4	3	3	3	3	3	4	2	2	3	3	2	2	3	3	4	5	3	3	5	3	2	4	4	3	3	4	3	4	4		
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
03:20	3	2	2	3	1	1	3	3	1	1	3	2	3	1	3	1	4	4	2	2	5	1	2	3	2	2	3	3	3	4	3		
03:30	2	2	1	3	1	1	3	2	1	1	3	1	2	1	3	1	4	4	2	2	5	1	1	2	2	2	3	2	2	3	2		
03:40	3	2	1	2	1	1	2	2	1	1	4	1	2	0	3	1	4	3	1	2	5	1	1	2	2	1	3	2	2	3	2		
03:50	2	2	1	2	1	1	3	2	1	1	4	1	2	0	3	1	3	3	1	2	5	1	1	2	2	1	3	2	2	4	2		
04:00	3	3	3	3	2	2	2	4	2	2	4	3	2	2	2	3	3	4	2	3	4	2	2	3	3	3	2	3	3	5	3		
04:10	3	4	3	3	2	2	3	3	2	3	4	3	2	2	3	3	4	3	2	3	4	2	2	3	3	3	3	3	4	4	3		
04:20	3	4	3	2	3	2	3	3	2	3	4	3	2	2	3	3	4	3	2	3	5	2	3	3	3	3	3	3	3	4	5		
04:30	3	4	3	2	2	2	3	4	2	3	4	3	2	2	3	3	4	3	3	4	4	2	3	4	3	3	3	3	3	5	3		
04:40	2	4	3	2	3	2	3	3	2	3	4	3	2	3	3	3	4	3	2	4	4	2	3	4	3	3	3	3	3	5	3		
04:50	3	3	3	2	2	2	3	3	3	2	4	3	2	3	3	3	4	3	2	3	4	3	3	3	3	3	3	3	3	4	3		
05:00	3	3	3	2	2	3	3	4	3	3	4	3	3	2	3	3	4	3	3	4	4	3	3	3	3	3	3	3	4	4	5		
05:10	3	3	3	2	3	3	3	3	3	3	4	3	3	2	3	3	4	3	3	3	5	2	3	3	3	3	3	3	4	4	5		
05:20	3	4	3	3	3	3	3	3	3	2	4	3	3	2	3	3	4	4	3	4	5	2	3	4	4	3	3	3	3	4	5		
05:30	3	4	3	3	3	4	3	3	3	2	4	3	2	2	3	3	4	4	3	4	4	2	3	4	4	3	3	3	3	4	5		
05:40	3	3	3	3	2	4	3	3	2	2	4	3	2	2	3	3	5	4	3	4	4	2	3	4	3	3	3	3	4	5	4		
05:50	3	3	3	3	3	3	4	3	2	3	5	3	3	3	4	3	5	4	3	4	5	3	3	5	3	3	3	3	3	4	5		
06:00	3	4	3	4	2	3	3	3	4	3	4	3	3	3	5	3	4	3	3	4	4												

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2025年12月1 - 31日

監測物：一氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	6	5	4	6	5	7	16	34	48	31	36	33	23	12	22	27	18	18	16	13	12	29	56	45	22
2	26	10	12	9	19	17	47	47	14	16	15	7	8	8	7	9	7	11	14	6	9	9	8	6	14
3	--	5	--	3	2	2	5	8	10	9	10	8	4	6	4	5	4	5	5	2	2	2	1	1	5
4	1	2	0	0	0	1	5	9	17	14	9	11	8	8	10	10	8	7	15	18	18	6	4	2	8
5	2	3	1	2	3	5	13	66	48	10	6	7	4	5	5	3	2	1	2	9	12	3	2	4	9
6	6	7	7	11	5	18	52	73	39	13	11	8	11	11	9	5	6	4	8	7	9	21	40	54	18
7	55	36	10	4	13	15	25	35	15	10	4	4	3	2	2	1	2	3	2	9	21	38	70	83	19
8	68	46	51	42	22	7	5	10	12	8	9	5	3	3	4	4	3	5	19	44	53	70	86	54	26
9	5	1	1	3	3	4	56	96	37	23	13	11	5	7	7	6	6	4	7	20	31	10	3	1	15
10	0	1	2	2	1	1	2	24	32	25	13	10	8	11	16	12	14	15	16	12	20	10	15	10	11
11	24	19	17	25	27	44	72	113	64	39	15	9	7	3	8	7	6	7	3	7	3	8	42	26	25
12	3	1	1	1	0	3	29	26	11	9	6	6	4	4	4	4	6	6	2	2	3	2	1	1	6
13	1	1	1	2	2	3	3	6	8	9	10	12	11	6	5	4	8	14	14	9	8	4	3	2	6
14	3	2	2	1	1	1	2	3	5	6	6	7	4	3	6	4	4	6	5	5	5	6	4	2	4
15	4	8	5	11	13	23	67	86	40	27	17	13	11	15	9	7	14	14	22	18	23	19	39	36	23
16	32	22	7	4	5	7	39	122	70	40	22	11	7	12	10	8	5	2	2	8	36	47	51	65	26
17	--	44	34	34	35	50	102	222	90	29	15	6	--	3	5	7	5	4	51	105	114	137	120	96	59
18	101	51	50	24	18	22	55	141	91	53	23	21	14	9	8	6	8	6	6	8	6	4	4	3	31
19	3	3	4	3	3	2	13	19	22	18	17	12	13	11	10	11	17	12	9	12	4	5	6	5	10
20	9	7	9	14	20	17	20	50	40	60	37	17	37	38	32	10	9	11	22	24	54	91	95	95	34
21	74	42	49	54	50	54	45	76	41	15	13	15	15	7	3	3	4	3	4	3	2	2	2	2	24
22	2	2	2	1	2	2	3	6	9	10	9	12	10	7	7	7	9	8	4	2	3	3	3	3	5
23	3	3	3	2	4	5	6	20	25	20	18	15	12	10	8	14	21	22	43	79	11	12	21	20	17
24	36	43	38	16	22	34	57	122	97	56	49	35	17	20	30	29	27	23	29	74	75	76	110	78	50
25	100	60	35	8	10	8	9	9	10	16	18	16	14	10	6	7	6	5	3	4	3	3	2	2	15
26	2	2	2	2	2	2	2	3	6	7	9	8	9	9	8	9	11	9	11	11	11	9	9	7	7
27	9	10	8	8	8	8	7	21	27	25	27	14	9	9	5	3	2	2	6	15	29	65	58	45	18
28	69	50	44	27	23	22	24	40	42	20	11	9	5	6	4	2	2	2	2	10	29	69	60	41	26
29	75	47	20	27	38	39	85	190	123	106	29	11	14	16	10	4	2	2	6	24	67	56	73	76	48
30	90	59	55	61	69	70	130	267	292	110	25	14	12	15	9	3	2	2	3	4	19	42	57	51	61
31	--	70	35	23	20	32	42	79	44	12	11	11	11	12	10	11	13	10	11	7	5	3	7	15	21

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2025年12月1 - 31日

監測物：二氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	33	36	37	30	27	30	31	39	41	35	37	42	34	26	68	95	96	115	114	106	81	78	79	67	57
2	58	51	53	39	40	39	52	59	42	40	41	18	25	31	37	46	52	72	85	63	63	44	29	27	46
3	--	14	--	4	3	6	18	27	30	35	44	41	42	55	52	59	57	73	62	48	31	25	25	25	35
4	16	14	8	7	11	19	33	52	52	43	39	42	42	45	57	62	66	67	81	81	76	43	44	26	43
5	29	31	8	23	32	40	52	77	72	43	38	43	35	50	64	70	90	77	69	77	85	57	29	61	52
6	67	61	58	55	41	57	60	62	60	39	40	36	49	58	63	63	73	74	94	86	82	82	87	80	64
7	75	73	63	39	53	49	56	54	41	35	28	23	21	18	19	18	21	34	42	76	82	85	85	81	49
8	74	66	68	65	62	47	38	48	43	30	33	24	19	21	24	27	37	67	96	99	87	83	82	76	55
9	33	6	22	44	32	45	74	82	72	60	46	36	32	48	73	78	84	77	85	110	109	85	60	23	59
10	13	19	26	16	17	18	26	61	68	64	52	50	50	55	68	62	66	69	62	50	45	38	52	49	46
11	53	45	45	43	41	44	48	58	58	65	50	39	28	18	86	123	137	132	99	100	60	68	96	80	67
12	22	2	4	8	2	30	61	53	44	38	25	33	26	33	43	45	58	55	35	40	17	17	16	7	30
13	7	4	8	26	12	25	25	35	34	43	43	50	54	42	26	24	33	33	38	31	23	16	14	14	28
14	10	5	3	2	1	2	5	6	14	14	13	13	12	11	24	19	20	31	31	33	36	32	24	17	16
15	29	34	24	42	39	43	54	56	48	41	31	31	32	47	48	47	74	84	85	86	82	86	92	83	55
16	87	80	54	44	48	57	75	86	78	72	59	47	44	70	80	87	101	128	138	154	165	143	125	121	89
17	--	93	87	79	78	76	76	95	84	61	51	46	--	50	70	101	120	141	143	132	125	113	106	83	91
18	73	60	56	55	54	59	62	71	66	58	50	61	61	60	60	59	70	77	80	78	64	51	38	42	61
19	36	32	32	24	21	19	43	49	51	49	45	37	36	34	39	64	64	47	41	39	23	23	21	30	37
20	45	39	37	41	43	37	32	37	35	42	37	27	51	53	48	16	19	32	49	54	56	59	60	57	42
21	59	53	55	50	49	47	41	43	34	22	16	24	42	33	27	37	34	45	40	20	16	8	9	7	34
22	5	2	0	0	0	2	13	27	26	30	28	35	29	36	42	48	61	54	26	21	13	9	26	19	23
23	18	8	11	6	7	22	23	47	50	43	42	31	27	25	22	35	51	68	71	74	47	54	61	60	38
24	61	58	49	41	38	37	38	49	50	52	57	53	44	44	61	66	75	89	99	100	97	90	86	74	63
25	72	67	63	42	32	25	14	12	9	11	8	7	8	10	8	11	13	10	10	11	11	8	7	5	20
26	1	0	0	0	1	2	8	13	19	19	17	17	18	21	20	22	27	29	35	36	33	29	27	26	18
27	24	23	19	18	16	16	16	25	27	28	30	24	21	26	32	42	52	59	96	114	107	106	93	85	46
28	84	76	67	57	52	53	50	56	60	46	31	27	20	35	35	28	21	14	45	87	93	98	92	84	55
29	84	79	74	64	62	59	65	79	79	85	65	45	54	68	66	41	43	50	74	128	131	113	113	106	76
30	101	94	90	77	74	65	69	92	109	99	72	56	70	113	96	86	115	106	104	95	113	105	97	90	91
31	--	80	74	64	59	59	65	73	68	30	32	29	39	55	43	52	54	51	51	42	30	34	61	65	53

備註：

"--" 代表欠缺該段時間的空氣質素數據