

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2016年9月1 - 30日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	8	8	7	7	6	8	32	35	52	45	43	37	22	25	36	40	37	41	26	26	35	24	21	23	27
2	22	5	5	8	6	6	11	67	63	68	40	31	20	18	--	--	34	38	52	57	59	47	29	42	33
3	36	27	16	10	14	14	38	66	74	47	43	26	21	18	11	9	7	10	10	18	15	17	25	12	24
4	18	15	13	7	7	6	6	9	9	8	9	8	12	18	16	15	11	11	12	10	6	5	7	6	10
5	5	5	6	7	9	6	8	18	25	26	18	17	17	22	36	15	18	19	21	25	10	10	21	8	16
6	10	18	12	10	13	16	46	60	50	58	39	34	27	22	26	25	23	26	44	46	32	11	15	8	28
7	--	13	26	14	13	21	62	57	31	21	25	25	16	24	25	31	32	34	24	31	26	38	39	63	30
8	37	62	60	56	49	57	71	82	36	48	33	37	43	47	33	33	31	23	25	39	29	34	56	47	45
9	18	14	25	32	31	31	52	46	54	34	23	44	34	35	56	41	46	64	73	81	103	95	70	87	50
10	53	55	58	53	56	47	76	69	48	35	47	57	61	42	48	69	81	91	87	96	113	113	154	156	74
11	176	170	151	91	78	84	94	81	55	30	34	19	17	10	10	13	14	18	18	20	16	21	21	32	53
12	27	24	26	20	21	19	16	34	33	21	23	17	--	--	--	9	10	12	30	27	27	23	20	6	21
13	18	13	21	13	16	10	14	30	25	22	24	30	32	29	18	25	18	35	48	65	92	75	69	66	34
14	83	74	64	24	17	14	16	26	35	17	12	7	6	5	5	5	6	6	8	11	9	9	10	8	20
15	8	8	7	6	6	10	24	38	31	17	11	7	7	6	6	8	7	8	9	18	9	12	18	10	12
16	9	11	9	6	10	7	12	19	10	11	10	8	7	6	6	6	7	6	8	16	19	18	26	32	12
17	51	34	33	25	25	21	19	34	23	18	11	7	6	7	5	8	7	8	9	12	7	17	13	9	17
18	7	9	8	7	6	7	11	14	16	13	12	9	6	4	5	4	4	4	4	5	11	7	6	8	8
19	7	7	7	6	6	5	9	17	23	20	14	10	7	7	7	8	6	12	9	24	10	7	9	6	10
20	4	5	5	4	4	4	6	17	17	27	31	37	20	14	9	7	22	20	21	13	8	7	5	6	13
21	--	8	5	6	6	5	20	25	28	18	9	10	6	6	5	5	5	6	10	14	6	5	5	4	9
22	4	5	4	4	4	4	7	12	11	12	10	9	8	9	10	10	13	10	11	11	8	8	4	4	8
23	5	6	5	4	5	5	6	12	19	10	--	--	10	8	12	18	19	20	--	9	9	5	5	4	9
24	4	5	5	6	5	5	18	14	11	13	11	11	10	10	10	19	16	13	12	10	17	14	7	5	10
25	5	6	6	5	6	10	13	16	10	6	11	9	7	8	9	6	6	6	6	5	5	6	5	12	8
26	12	15	12	10	5	7	11	28	20	11	7	10	5	4	4	4	6	6	6	7	5	7	7	12	9
27	10	11	32	25	17	29	48	91	50	25	16	6	5	5	5	6	6	8	10	10	8	5	5	6	18
28	6	7	5	5	4	5	6	12	15	13	11	8	7	9	6	8	9	10	9	11	9	11	7	7	8
29	6	7	7	6	6	6	14	22	19	24	24	17	11	8	8	10	11	18	19	18	14	11	12	12	13
30	12	12	10	7	6	9	16	33	40	34	31	33	29	26	37	34	35	39	35	46	64	68	65	64	33

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：二氧化氮

日期：2016年9月1 - 30日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	28	28	31	24	16	20	31	26	33	30	32	29	23	25	31	35	35	35	26	30	32	25	28	30	28
2	30	4	5	21	10	8	16	38	41	37	27	22	17	19	--	--	34	38	43	45	40	34	31	29	27
3	26	28	23	15	15	14	18	26	29	32	36	26	25	24	27	34	32	38	71	89	86	86	80	57	39
4	59	47	26	8	2	3	1	11	8	2	17	21	27	46	47	50	29	39	29	26	16	7	7	11	22
5	13	7	13	19	19	7	12	30	31	34	25	32	38	47	56	29	34	34	35	33	16	15	26	20	26
6	19	25	17	16	15	15	21	27	29	37	42	42	29	23	26	27	30	38	50	50	40	24	30	17	29
7	--	26	29	25	20	23	30	34	29	29	34	35	28	41	39	40	39	43	37	37	36	38	32	32	33
8	29	23	20	19	16	17	16	21	23	31	27	27	33	37	35	38	40	37	37	43	39	34	34	30	29
9	26	24	24	22	17	16	19	20	26	31	26	38	36	38	44	32	33	40	43	42	43	37	31	33	31
10	27	26	21	20	19	18	23	24	23	25	30	31	35	29	30	34	34	33	28	31	30	27	30	30	27
11	30	27	26	18	12	13	15	13	16	11	15	6	1	0	0	7	11	21	24	24	22	24	28	34	17
12	27	27	28	24	21	17	9	14	17	15	20	17	--	--	--	49	56	52	41	43	47	47	45	7	30
13	28	20	28	19	13	4	6	15	15	15	21	32	50	51	42	57	52	76	85	84	81	71	67	52	41
14	50	47	48	45	34	34	33	34	48	38	32	28	23	25	28	32	29	25	40	35	28	28	28	21	34
15	18	17	17	14	14	14	28	35	33	33	25	27	31	30	23	24	41	21	27	39	24	25	30	10	25
16	10	16	9	8	5	10	14	16	3	3	6	5	5	4	7	10	11	13	30	53	63	53	56	56	19
17	57	51	47	47	42	35	29	27	24	26	19	17	15	11	7	19	14	21	26	27	9	24	20	16	26
18	11	9	0	10	8	9	19	12	15	14	12	11	9	8	17	34	42	51	64	72	106	37	7	7	24
19	11	8	8	6	2	6	8	19	29	30	26	25	22	37	66	91	93	61	45	62	29	13	29	6	31
20	0	0	0	0	0	0	1	35	39	54	57	60	46	43	36	36	125	124	130	84	28	22	12	16	40
21	--	35	9	14	17	22	37	53	58	42	22	22	8	12	24	36	40	106	89	83	33	8	10	5	34
22	0	3	0	0	7	11	23	42	30	29	24	23	16	20	20	27	44	42	46	55	37	34	5	0	22
23	4	18	0	3	14	4	13	26	37	18	--	--	24	13	24	54	58	65	--	42	33	13	3	3	22
24	1	0	0	0	0	3	36	25	11	15	10	12	14	14	23	49	57	65	66	64	79	67	35	13	27
25	7	7	6	3	20	42	44	41	13	5	24	26	22	40	59	42	39	37	46	43	38	49	46	59	32
26	58	48	46	48	31	30	46	58	54	40	37	39	22	26	23	37	58	62	61	57	41	70	71	78	48
27	66	62	60	57	48	46	51	60	80	90	91	52	51	33	34	28	39	51	58	54	47	25	38	46	53
28	37	25	24	18	15	24	34	40	46	40	35	31	33	55	38	42	40	33	40	30	30	34	22	17	33
29	17	15	17	7	7	13	25	28	24	31	38	43	39	36	43	46	49	55	45	42	37	30	30	30	31
30	29	27	23	14	17	18	20	24	26	25	30	40	48	60	70	65	66	71	73	69	73	70	70	68	46

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

屯門診所 監測物：二氧化硫	日期：2016年9月1 - 30日 單位：微克/立方米																													
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
00:00	14	16	20	18	13	14	17	15	15	16	18	14	14	17	17	16	19	15	15	13	12	13	13	13	14	21	24	25	17	15
00:10	14	15	19	17	13	14	17	16	15	15	18	13	14	17	18	16	19	15	15	13	12	13	13	13	13	21	24	25	17	14
00:20	13	15	19	18	12	14	18	16	15	16	19	14	14	17	18	16	19	15	15	13	12	14	13	13	13	21	23	26	18	15
00:30	13	15	18	18	12	14	17	17	15	16	19	14	14	15	17	16	17	15	15	12	12	14	13	13	13	21	22	26	20	14
00:40	13	15	19	17	12	13	18	--	15	16	19	13	14	16	17	16	18	15	15	12	12	--	13	13	13	20	22	26	19	14
00:50	12	14	19	17	12	13	17	--	16	16	19	14	14	15	17	16	20	15	15	12	12	--	13	13	13	21	23	25	19	15
01:00	13	14	20	17	12	13	18	--	16	17	19	14	14	15	17	15	21	15	15	12	12	--	13	13	13	20	22	25	20	15
01:10	13	13	20	17	12	14	17	16	17	17	19	14	13	15	17	15	21	15	15	12	12	13	13	13	13	20	23	24	20	15
01:20	13	13	20	17	12	14	17	15	17	17	19	13	13	15	17	15	22	15	15	12	12	13	13	13	14	20	23	24	22	15
01:30	12	13	19	17	13	14	16	15	16	18	18	13	13	16	16	15	22	15	15	12	12	13	13	13	14	20	23	24	23	15
01:40	13	13	18	17	13	14	17	15	16	19	19	13	13	16	17	15	22	15	14	12	12	13	13	13	14	19	24	25	23	15
01:50	13	13	18	16	13	14	16	15	16	19	19	14	14	15	17	14	22	15	14	12	12	13	13	13	14	19	25	26	23	15
02:00	13	13	17	16	13	14	16	15	16	19	19	14	13	16	17	14	22	15	14	12	12	13	13	13	14	20	24	26	24	15
02:10	13	13	17	16	13	14	16	15	16	18	19	14	14	16	17	14	22	14	14	12	12	13	13	13	14	19	24	27	24	15
02:20	13	13	16	15	12	13	16	16	16	17	19	14	14	15	17	14	23	15	14	12	12	13	13	13	14	20	23	26	23	15
02:30	13	13	16	15	12	13	15	15	16	17	18	14	14	15	17	14	22	15	14	12	12	13	13	14	13	19	22	26	22	15
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:20	13	14	15	15	13	13	15	16	16	17	17	14	14	16	19	14	22	15	15	13	12	13	14	14	14	20	22	25	17	15
03:30	13	14	14	14	12	13	15	16	15	17	16	13	14	15	19	14	21	15	15	12	12	13	13	13	13	19	22	25	16	15
03:40	13	14	14	14	12	13	15	15	15	17	16	13	13	14	19	13	21	15	15	12	12	13	13	13	13	19	21	24	16	15
03:50	13	14	14	14	13	13	15	15	15	16	16	13	13	14	18	13	22	15	14	12	12	13	13	13	13	18	21	24	17	15
04:00	13	14	13	13	12	13	15	15	15	16	15	13	14	15	18	14	23	15	14	12	12	13	13	13	13	18	21	25	16	15
04:10	13	14	13	13	13	12	15	15	16	16	16	14	14	15	18	14	22	15	14	12	12	13	13	13	13	18	21	25	16	15
04:20	13	14	13	14	13	13	14	15	15	16	15	13	14	15	18	14	21	15	14	12	12	13	13	13	13	18	21	24	16	15
04:30	13	14	13	14	13	12	14	15	15	15	15	13	13	15	18	14	21	15	14	12	12	13	13	13	13	18	22	24	16	15
04:40	13	14	13	13	13	12	15	15	14	15	16	13	13	15	18	14	20	15	14	12	13	13	13	13	13	17	22	24	17	15
04:50	13	15	13	14	13	13	14	14	15	17	15	14	13	15	19	13	20	15	14	12	12	13	13	13	13	17	22	24	17	15
05:00	14	14	14	14	13	12	14	15	15	17	15	13	13	15	18	13	21	16	15	12	12	13	13	13	13	17	22	24	18	15
05:10	14	14	14	13	13	12	14	15	15	16	15	13	13	16	18	13	21	16	15	12	12	13								