

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2016年10月1 - 31日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	77	72	70	57	61	59	72	74	73	49	34	19	16	12	17	25	27	30	42	43	62	72	49	51	48
2	41	38	44	52	54	49	49	44	43	24	16	14	11	7	10	7	9	10	7	10	15	27	41	36	27
3	8	14	15	10	10	12	24	41	46	31	22	18	13	10	12	12	15	--	20	17	16	16	13	13	18
4	8	9	7	15	6	8	17	46	37	24	--	13	15	18	33	27	28	51	61	79	84	80	79	51	35
5	--	38	20	21	22	26	16	30	59	40	35	23	8	3	4	11	26	32	26	8	5	5	7	13	21
6	9	4	9	10	3	6	10	32	35	18	10	8	4	3	3	3	6	4	7	8	26	51	31	12	13
7	12	14	7	7	5	8	33	65	59	32	17	14	9	--	--	13	13	7	14	9	12	14	14	15	18
8	15	8	2	2	0	0	2	9	10	10	10	4	3	2	4	3	3	3	1	3	2	1	1	0	4
9	0	1	0	1	0	0	0	1	4	3	6	6	1	1	1	0	1	1	3	2	2	1	2	2	2
10	1	2	0	1	0	0	2	2	9	7	5	2	0	0	0	1	2	2	2	3	5	2	0	1	2
11	0	0	0	0	0	0	0	7	17	21	22	17	11	10	13	10	18	14	17	7	5	5	3	1	8
12	0	1	0	0	0	0	2	25	28	28	18	20	15	13	12	15	27	32	39	20	15	8	12	6	14
13	7	4	2	1	0	0	7	16	26	30	20	15	5	2	2	2	5	7	7	2	0	0	1	0	7
14	0	0	0	1	0	1	3	18	30	22	12	6	2	3	3	0	10	10	10	1	2	2	3	1	6
15	1	1	5	4	2	0	4	13	18	16	16	6	5	4	4	3	4	5	9	13	25	16	18	14	9
16	12	4	1	0	1	0	3	10	7	7	6	3	0	0	2	0	0	2	4	5	4	3	7	3	4
17	3	0	0	0	0	0	0	8	13	15	12	5	--	4	5	7	8	9	9	12	12	4	0	0	5
18	0	0	0	3	0	0	2	10	13	16	11	15	14	17	28	39	20	21	17	7	10	4	3	2	11
19	--	1	0	0	0	0	5	17	44	87	71	34	39	44	29	32	35	33	47	30	18	7	2	1	25
20	0	13	34	19	26	31	32	56	50	27	17	11	3	0	0	0	0	1	1	7	14	14	14	10	16
21	8	11	4	3	2	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
22	0	0	0	0	0	0	0	13	29	36	30	16	8	13	7	5	7	7	2	5	6	8	6	2	8
23	9	13	29	48	41	42	57	46	39	35	25	14	9	9	14	9	5	5	13	18	10	27	29	16	23
24	10	28	33	35	31	22	34	55	45	52	45	34	34	31	39	43	40	50	31	34	19	8	6	11	32
25	19	19	13	5	13	12	26	59	69	55	48	28	24	16	16	24	32	31	40	37	35	11	10	14	27
26	18	23	13	10	11	12	51	46	28	18	17	21	14	18	22	10	23	52	93	45	35	34	62	35	30
27	37	35	16	36	28	38	56	74	70	45	29	17	18	17	18	17	41	46	25	27	16	12	61	75	36
28	76	82	78	35	43	32	66	100	49	47	21	24	11	13	15	12	18	23	30	25	57	40	104	133	47
29	98	90	77	48	49	58	76	108	37	26	16	9	6	6	6	6	6	6	8	7	5	4	4	2	32
30	1	1	1	1	1	0	1	5	10	13	15	12	9	4	1	1	1	0	1	2	3	4	2	2	4
31	2	0	2	1	1	0	5	16	33	27	22	19	6	3	1	1	0	1	3	5	4	2	1	1	7

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2016年10月1 - 31日

監測物：二氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	59	56	47	44	40	34	32	32	33	33	31	19	20	30	78	46	37	32	38	31	31	38	68	60	40
2	56	53	49	45	39	38	31	31	32	25	15	10	6	7	16	14	26	42	79	80	68	67	58	39	39
3	14	16	11	9	9	10	13	16	17	14	12	14	10	8	10	8	14	--	23	19	22	19	14	19	14
4	11	11	13	19	9	12	21	30	28	22	--	22	26	29	38	42	48	59	60	52	47	56	48	47	33
5	--	34	27	24	20	24	22	32	42	44	46	37	22	17	25	54	88	93	82	50	20	13	26	37	38
6	32	15	26	24	9	3	10	25	29	19	18	19	12	12	20	30	35	24	33	33	47	54	49	39	26
7	35	36	10	5	0	11	17	27	32	30	30	41	38	--	--	28	27	29	39	31	38	33	32	32	27
8	29	14	5	1	0	0	0	11	8	9	15	13	11	7	15	15	9	10	6	8	2	0	0	0	8
9	0	0	0	0	0	0	0	2	3	5	12	11	10	8	15	3	10	12	12	9	11	6	8	3	6
10	0	0	0	0	0	0	0	0	7	12	9	7	7	4	5	6	20	19	16	19	14	3	2	3	6
11	0	0	0	0	0	0	0	14	25	31	35	30	23	31	34	32	45	46	48	28	15	15	17	6	20
12	0	0	0	0	0	0	3	27	25	22	20	28	30	28	28	29	38	43	47	36	25	23	25	21	21
13	16	13	6	0	0	0	4	12	16	15	16	17	17	16	16	17	27	36	37	20	4	3	9	2	13
14	0	0	0	4	0	0	0	12	17	15	14	10	4	13	19	29	85	104	54	23	24	21	27	31	21
15	17	18	10	10	0	0	4	11	13	16	24	19	30	25	19	28	38	51	77	72	72	58	53	51	30
16	40	20	9	10	7	3	13	17	12	11	10	8	3	5	7	14	16	15	28	24	24	33	43	21	16
17	1	0	0	0	0	0	0	20	20	22	22	19	--	14	26	20	19	21	24	15	29	15	0	0	12
18	0	0	0	0	0	0	0	5	7	9	2	7	5	2	12	18	8	8	8	0	2	0	0	0	4
19	--	0	0	0	0	0	0	5	20	33	28	18	26	20	17	25	30	30	45	44	30	15	0	0	17
20	0	19	23	14	14	16	18	32	37	30	26	25	28	32	31	54	69	75	52	57	58	54	44	35	35
21	26	23	15	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
22	5	8	0	0	0	0	5	31	49	47	44	36	26	32	25	21	35	41	31	43	43	44	32	22	26
23	37	40	36	33	27	28	28	21	21	20	20	17	12	14	24	18	13	16	36	34	26	32	31	26	25
24	16	18	17	21	12	9	11	16	14	22	21	20	20	19	22	29	29	35	30	28	25	17	12	17	20
25	21	20	17	11	15	11	20	28	32	27	27	21	26	25	29	42	52	55	62	58	57	49	44	42	33
26	39	32	23	19	18	15	28	30	29	25	23	26	25	31	37	23	40	64	74	49	41	33	32	22	32
27	19	18	16	17	11	15	17	24	29	25	26	17	21	24	31	36	62	68	51	51	48	44	54	56	33
28	49	43	35	28	23	20	24	34	29	34	23	30	17	38	49	91	97	111	96	42	47	41	53	56	46
29	48	40	36	30	25	26	31	43	28	25	26	26	13	13	18	27	32	38	35	23	21	12	8	2	26
30	0	0	0	0	0	0	0	2	5	7	7	8	11	10	10	19	15	5	20	27	37	27	18	12	10
31	10	4	0	0	0	0	10	19	26	23	24	25	17	23	21	40	43	40	45	78	52	31	9	15	23

備註：

"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

屯門診所																				日期：	2016年10月1 - 31日										
監測物：	二氧化硫																			單位：	微克/立方米										
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	22	24	16	13	15	13	14	16	15	14	15	14	13	13	13	16	15	13	13	13	19	13	15	22	20	18	14	23	20	14	14
00:10	22	24	15	13	14	14	14	15	15	14	15	14	13	13	13	17	15	13	13	13	19	13	16	21	21	18	14	22	20	14	14
00:20	22	24	16	13	15	13	14	15	15	14	14	13	13	13	13	16	15	13	13	13	19	13	16	20	21	18	15	21	20	14	15
00:30	22	24	15	13	14	13	14	17	15	14	14	13	13	13	13	15	15	13	13	13	19	13	16	20	21	17	14	20	20	14	15
00:40	21	23	15	13	14	--	15	18	15	14	14	13	13	13	13	16	15	13	13	--	19	13	17	19	20	17	15	19	20	14	15
00:50	21	23	15	13	14	--	15	19	15	13	14	13	13	13	13	16	15	13	13	--	19	13	18	19	20	17	15	19	19	14	15
01:00	21	23	15	13	15	--	15	19	15	13	14	13	13	13	13	15	15	13	13	--	19	13	18	19	22	17	15	19	18	14	15
01:10	21	23	15	13	15	14	16	19	15	14	14	13	13	13	13	16	15	13	13	14	19	13	18	19	23	17	15	18	17	15	14
01:20	21	23	15	13	15	14	17	20	16	14	13	12	13	13	13	16	15	12	13	13	19	13	18	18	23	17	15	18	17	14	15
01:30	20	22	15	13	14	14	16	20	16	14	13	13	13	13	14	16	15	13	13	14	19	13	18	18	22	17	14	18	17	14	14
01:40	20	20	15	13	14	14	15	20	16	14	13	13	14	13	13	16	15	13	13	14	19	13	18	18	21	17	14	18	17	14	15
01:50	20	19	15	13	14	14	15	21	16	14	13	13	13	13	13	15	15	13	13	14	19	13	19	18	21	17	14	19	18	14	15
02:00	19	19	15	13	14	14	14	22	16	14	13	12	13	13	14	15	15	13	13	14	19	13	19	18	20	16	14	18	17	14	14
02:10	19	18	14	13	14	14	14	21	16	14	13	13	13	13	14	15	15	13	13	14	19	13	19	18	20	16	14	17	18	14	15
02:20	20	18	14	13	14	14	14	20	16	14	13	13	13	13	14	16	15	13	13	14	19	13	19	18	21	15	14	18	18	14	15
02:30	20	18	14	13	14	14	14	19	17	14	13	13	13	13	14	16	15	13	13	14	19	13	18	18	21	15	14	18	17	14	14
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:20	19	20	14	14	14	14	14	18	17	15	14	13	14	14	15	16	16	14	13	14	19	14	19	18	20	15	15	16	18	15	15
03:30	19	20	14	14	14	14	13	18	16	14	13	13	13	14	14	16	15	13	13	13	18	13	19	17	19	15	15	16	16	14	15
03:40	19	19	14	14	14	14	13	18	16	14	13	13	13	14	14	16	15	13	13	14	18	13	18	17	19	15	14	16	17	14	14
03:50	19	19	14	14	14	13	13	18	15	15	13	13	13	13	14	16	15	13	13	14	18	13	18	17	18	15	14	16	16	15	14
04:00	19	20	14	14	14	13	13	18	15	14	13	13	13	14	14	16	15	13	13	14	17	13	17	17	19	15	14	16	16	14	14
04:10	19	19	14	14	14	13	13	17	15	15	12	13	13	13	14	16	15	13	13	14	17	13	18	17	19	15	14	16	16	14	14
04:20	19	20	14	14	14	13	13	18	15	15	12	13	13	13	14	16	16	13	12	14	17	13	18	17	20	15	15	16	17	14	14
04:30	19	20	14	14	14	13	13	17	15	14	12	12	13	13	14	16	15	13	13	14	17	13	18	16	20	15	14	16	16	14	14
04:40	18	20	14	14	14	13	13	17	15	14	12	12	13	13	14	16	15	13	13	15	18	13	19	16	21	15	14	15	17	14	14
04:50	19	19	14	14	13	13	13	17	15	14	13	12	13	13	14	15	16	13	13	13	18	13	18	16	21	15	14	15	16	15	14
05:00	18	20	14	14	13	13	13	17	15	14	13	13	13	14	14	15	16	13	13	14	18										