

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所

日期：2017年12月1 - 31日

監測物：一氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	11	7	4	3	4	3	9	22	52	37	24	13	8	6	5	6	5	7	11	10	8	6	12	8	12
2	5	5	3	2	3	2	7	20	36	35	27	23	14	16	5	3	2	4	7	70	45	9	22	23	16
3	32	33	10	4	5	3	5	7	17	15	14	13	10	9	5	4	2	2	3	5	12	19	17	20	11
4	47	37	11	4	4	7	12	19	35	24	26	14	11	9	5	3	4	3	8	14	13	6	6	4	14
5	4	3	1	2	2	2	6	15	17	17	16	18	15	10	7	10	11	10	10	15	9	8	15	9	10
6	5	8	6	5	5	6	18	36	43	34	22	14	14	14	8	10	7	6	26	25	4	3	2	4	14
7	12	23	11	5	2	1	7	43	28	13	23	14	6	10	7	5	6	5	10	45	49	52	39	67	20
8	20	5	6	1	1	1	6	18	16	12	13	11	6	6	8	10	4	4	8	9	4	4	3	2	7
9	2	2	2	1	2	1	3	10	14	16	15	12	11	6	8	4	3	2	12	24	24	74	85	62	16
10	35	27	12	26	11	22	30	37	23	19	8	3	3	4	4	4	1	3	7	10	33	3	3	3	14
11	4	2	1	1	1	1	6	11	26	21	22	10	8	8	4	3	1	8	17	19	9	2	1	1	8
12	1	0	0	1	1	1	6	16	25	23	16	13	10	7	6	6	7	7	4	7	3	2	1	1	7
13	--	0	2	1	0	1	4	13	21	21	23	13	13	10	9	12	12	11	5	7	8	4	2	1	8
14	1	1	1	2	3	1	4	13	21	20	25	24	15	38	29	50	21	48	28	38	21	9	4	2	17
15	4	3	1	0	1	1	4	14	22	13	13	12	13	7	12	10	18	12	19	55	59	54	58	56	19
16	42	20	17	3	4	3	6	15	30	32	35	32	28	16	13	14	15	16	9	7	8	5	5	4	16
17	4	4	2	2	2	2	3	5	9	14	13	13	10	8	12	7	7	10	6	6	6	5	5	4	7
18	2	2	2	3	1	2	8	14	32	31	19	21	15	8	6	6	5	5	12	39	19	7	4	5	11
19	6	6	2	1	2	2	5	15	15	18	16	16	8	8	6	8	9	4	8	10	5	2	2	2	7
20	2	1	0	1	1	1	4	9	41	27	15	16	11	8	8	7	6	5	52	66	24	7	5	2	13
21	2	3	2	1	1	1	9	26	31	32	30	17	14	16	11	14	13	32	15	33	34	5	22	18	16
22	1	1	1	1	1	2	16	57	56	27	18	9	7	17	17	14	14	25	98	101	100	80	114	117	37
23	102	83	57	31	7	5	11	24	32	62	66	43	59	51	34	76	53	133	135	174	120	150	205	170	78
24	122	60	71	109	83	61	90	121	100	29	17	8	4	3	4	2	2	3	3	10	5	1	2	2	38
25	1	1	1	0	2	0	1	2	6	7	6	5	4	3	6	5	4	16	8	19	26	6	2	1	6
26	1	0	1	1	1	1	1	3	6	6	5	5	5	4	5	12	7	18	74	40	11	40	40	3	12
27	--	2	2	0	1	2	9	21	37	17	11	9	6	9	10	21	11	11	17	14	11	21	4	1	11
28	1	2	2	2	2	1	13	16	38	19	17	11	9	15	16	22	18	13	8	9	113	8	2	3	15
29	4	4	3	3	3	2	8	46	50	31	29	19	19	20	24	20	13	7	13	9	7	2	1	1	14
30	0	3	2	2	3	3	7	15	35	25	14	9	16	28	41	46	48	26	9	22	17	3	3	5	16
31	4	6	4	2	2	1	2	3	5	5	6	4	4	4	5	3	2	2	8	10	9	7	8	8	5

備註：

"--" 代表欠缺該段時間的空氣質素數據

地點：屯門診所

日期：2017年12月1 - 31日

監測物：二氧化氮

單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	32	29	20	22	17	14	25	35	43	36	30	30	32	36	43	55	47	68	70	58	48	47	45	38	38
2	28	21	22	17	11	14	20	23	27	27	30	36	33	51	49	61	52	76	92	132	116	96	101	95	51
3	96	80	65	23	17	17	19	21	23	23	26	37	47	58	64	65	65	94	98	92	118	105	89	89	60
4	90	77	71	47	37	33	33	31	32	32	36	35	38	47	55	52	48	42	51	69	61	42	33	27	47
5	24	23	16	19	14	17	26	43	40	37	39	43	45	41	43	65	59	62	52	48	41	42	46	44	39
6	39	43	44	47	40	38	49	63	65	68	61	57	68	79	72	93	98	104	142	128	62	59	50	54	68
7	89	92	80	42	44	22	58	95	87	66	85	69	52	69	66	69	64	73	81	121	115	114	112	114	78
8	100	68	49	40	27	24	37	68	54	47	47	48	40	45	46	68	44	47	80	78	58	46	33	33	51
9	27	25	22	21	21	21	31	58	75	72	71	68	69	61	77	85	106	109	130	181	171	167	161	144	82
10	130	119	84	100	82	93	103	115	98	96	68	49	47	59	78	115	78	124	151	150	163	106	105	105	101
11	93	46	21	23	18	21	41	68	90	76	69	55	52	69	78	75	75	131	194	156	120	55	38	34	71
12	24	18	17	21	23	27	55	88	94	87	76	66	66	64	69	71	93	88	61	70	51	40	30	28	55
13	--	13	23	14	10	11	22	45	58	60	56	46	38	36	35	42	48	57	43	49	49	32	20	15	36
14	15	19	9	17	16	8	18	39	45	49	48	60	51	74	71	91	59	102	103	111	96	53	48	28	51
15	35	35	15	22	19	12	23	41	45	36	37	40	46	34	44	59	140	129	123	85	64	53	48	44	51
16	40	31	28	22	21	18	20	24	28	27	26	28	28	26	29	24	24	32	29	22	32	25	24	21	26
17	20	16	15	12	8	9	12	18	23	25	26	24	23	21	27	24	30	35	32	34	36	35	35	29	24
18	20	14	12	14	12	18	36	50	55	53	47	52	52	44	47	50	52	57	77	122	103	82	61	72	50
19	55	51	30	29	26	29	45	59	53	53	49	53	42	45	42	52	60	46	51	80	58	39	29	29	46
20	23	16	13	16	18	23	37	53	77	62	45	51	41	42	47	41	48	57	119	122	100	72	61	46	51
21	32	34	23	20	22	25	51	74	69	62	60	47	50	61	60	78	96	121	89	112	121	80	104	108	67
22	36	23	13	15	19	25	83	105	107	89	73	55	55	98	108	116	125	142	171	151	147	139	142	134	90
23	121	117	111	107	81	74	81	88	95	109	115	99	111	101	89	136	164	169	175	176	173	182	189	175	127
24	166	177	185	168	139	117	114	117	115	87	94	78	52	39	33	19	28	27	37	86	58	44	30	33	85
25	32	24	20	21	19	18	20	29	44	42	37	39	37	33	81	82	96	183	191	176	158	97	51	36	65
26	29	18	18	21	14	15	19	28	47	50	49	45	41	44	89	140	142	209	266	226	155	164	153	72	86
27	--	50	44	22	15	27	58	73	87	56	42	31	22	38	52	75	71	90	118	117	121	118	71	41	63
28	25	12	18	12	17	12	51	61	80	63	54	44	45	64	76	86	86	87	82	83	139	81	40	36	56
29	51	35	31	46	44	35	49	67	71	66	63	57	66	74	110	98	77	84	103	71	50	16	13	17	58
30	8	19	17	14	18	23	44	60	67	62	47	45	65	121	176	212	233	218	171	167	91	35	18	24	81
31	20	16	15	16	13	11	13	16	21	20	24	21	24	26	32	38	37	52	105	92	83	67	69	71	38

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

屯門診所										日期：	2017年12月1 - 31日																				
二氯化硫										單位：	微克/立方米																				
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	9	9	13	13	9	9	9	13	17	13	21	10	11	8	9	17	9	11	12	15	14	8	14	26	19	12	11	9	10	8	10
00:10	9	9	13	14	9	9	9	13	17	14	21	10	10	8	9	16	9	11	12	15	14	8	13	25	19	12	10	9	10	7	9
00:20	9	8	13	13	9	9	8	13	16	13	21	9	10	8	9	16	9	11	13	15	14	8	13	23	19	12	10	9	9	7	10
00:30	9	9	12	12	9	9	8	14	17	14	21	10	10	8	9	17	9	11	12	15	14	8	13	21	20	12	10	10	9	8	9
00:40	9	9	13	12	9	9	8	14	17	14	22	10	10	--	9	16	9	10	12	15	14	8	13	20	20	12	10	--	9	7	9
00:50	9	9	12	12	10	9	8	14	17	15	23	10	10	--	9	16	9	11	12	15	14	8	13	21	20	12	10	--	9	7	9
01:00	9	9	12	12	10	9	8	14	17	14	23	10	10	--	9	16	9	11	12	15	14	8	13	20	21	12	10	--	9	7	9
01:10	9	9	12	13	10	9	8	14	17	13	23	9	10	8	9	16	9	11	12	15	13	8	12	20	21	12	10	9	9	7	9
01:20	9	9	12	12	10	9	9	14	17	13	22	9	10	8	9	15	9	11	12	15	13	8	12	20	21	12	10	9	9	7	9
01:30	9	9	11	12	10	9	9	14	16	13	22	9	9	7	9	15	9	11	13	15	14	8	12	20	21	12	10	9	9	7	9
01:40	9	9	10	11	9	10	9	14	17	12	21	10	9	7	9	15	9	11	13	15	13	8	11	20	22	12	10	9	8	7	9
01:50	9	8	10	11	9	10	8	13	16	13	21	10	9	8	9	14	9	11	14	15	14	8	12	21	22	12	9	9	9	7	9
02:00	9	8	10	11	10	9	8	13	16	12	20	10	10	8	9	14	9	11	14	15	14	8	11	21	22	11	9	9	9	7	9
02:10	9	8	10	11	9	9	8	13	16	12	20	9	10	8	9	14	9	12	14	15	14	9	12	21	22	11	9	9	8	7	8
02:20	9	9	10	11	9	9	8	13	16	11	20	10	9	7	9	14	9	11	14	15	13	9	11	21	21	11	9	9	9	7	8
02:30	9	9	10	11	9	9	8	13	16	12	20	9	9	8	9	14	9	12	14	15	13	9	11	20	22	11	9	9	8	7	8
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03:20	9	9	11	11	9	10	8	12	17	11	19	9	9	8	9	13	9	12	15	16	14	10	11	17	22	11	9	9	9	8	9
03:30	9	8	11	11	9	9	8	12	17	11	19	10	9	8	9	13	9	12	14	16	14	10	10	18	22	10	9	8	9	7	8
03:40	9	8	11	11	9	10	8	12	17	10	19	10	8	8	9	12	9	12	15	16	14	10	10	17	22	10	9	9	9	7	8
03:50	9	8	11	10	9	10	8	12	17	10	19	9	8	8	9	12	9	11	14	17	14	10	10	16	22	11	9	8	9	7	8
04:00	9	8	11	10	10	9	8	12	17	10	19	9	8	8	9	12	9	12	14	16	13	10	9	15	22	10	9	8	9	7	8
04:10	9	8	11	10	10	10	8	12	17	10	18	9	8	8	8	12	8	11	14	16	13	10	9	16	22	10	9	8	9	7	8
04:20	8	8	10	10	10	9	8	12	16	9	18	9	8	8	8	12	8	11	15	16	13	10	9	15	22	10	9	8	9	7	8
04:30	8	8	10	10	10	9	8	12	16	10	18	9	8	8	8	12	8	11	14	16	13	9	9	14	23	10	9	8	8	7	9
04:40	8	8	10	10	10	9	8	12	16	10	18	9	8	8	8	12	8	11	14	15	13	10	9	14	23	10	9	8	9	7	9
04:50	8	8	10	10	10	9	8	12	17	9	18	9	8	8	8	12	8	11	15	15	14	10	9	14	23	10	9	8	8	7	8
05:00	8	8	10	10	10	9	8	12	17	9	18	9	8	8	8	12	9	10	15	15	13	11	9	14	22	10	9	8	8	7	8
05:10	8	8	10	10	10	9	8	12	16	9	18	9	8	8	8	11	8	11	15	15	13	11	9	13	23	10	9	8	8	7	9
05:20	8	8	10	10	10	9	8	12	16	10	18	9	8	8	9	11	9	11	14	15	14	11	9	13	22	10	8	8	8	7	9
05:30	8	8	10	10	10	9	8	12	16																						