

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：一氧化氮

日期：2021年6月1 - 30日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	71	69	60	44	55	78	91	110	133	118	94	93	59	53	57	54	59	64	62	54	57	51	52	52	70
2	49	53	57	43	39	63	97	128	182	157	122	89	65	57	66	69	70	66	73	72	69	91	68	70	80
3	66	61	59	49	49	67	80	87	79	71	73	56	41	30	35	29	39	55	65	67	60	63	65	59	59
4	57	57	57	39	43	56	57	84	84	70	83	97	60	52	62	61	63	66	80	74	53	57	58	47	63
5	47	47	48	35	34	47	54	71	59	55	51	37	31	20	17	11	11	14	21	25	24	21	21	31	35
6	27	25	22	15	19	29	35	30	29	24	23	15	8	10	9	9	9	10	12	16	20	15	18	22	19
7	23	24	26	18	21	31	34	37	41	37	50	33	47	39	46	45	48	47	52	58	50	40	40	39	39
8	37	40	38	26	30	44	53	54	57	48	56	58	42	32	34	35	38	42	63	70	68	62	60	54	48
9	--	27	42	38	46	59	62	67	81	73	61	64	55	62	60	58	64	67	86	76	67	55	52	54	60
10	52	38	37	36	37	55	82	85	70	60	68	37	--	--	39	69	64	66	72	76	68	61	59	54	58
11	50	51	51	33	35	50	61	72	74	59	56	44	42	51	50	55	56	58	63	73	73	71	61	54	56
12	51	51	55	34	42	55	59	73	71	81	76	75	67	69	59	59	59	65	56	84	91	74	61	56	63
13	51	49	57	46	53	66	76	80	72	67	61	57	44	43	41	46	69	71	74	74	72	66	65	61	61
14	52	52	49	36	47	62	68	72	67	65	66	56	55	51	64	54	62	68	65	63	67	61	60	56	59
15	59	55	54	39	47	63	77	86	89	76	70	64	64	62	50	60	53	55	66	72	76	71	61	59	64
16	59	59	59	42	50	68	80	90	96	76	72	70	72	50	54	53	45	53	72	72	65	56	51	48	63
17	49	49	49	31	37	49	59	70	62	56	48	46	42	37	52	49	59	53	59	56	52	48	48	48	50
18	45	40	33	20	26	39	46	52	48	45	42	41	33	35	35	36	39	48	52	51	53	49	47	43	42
19	37	34	36	21	24	34	39	45	39	45	43	36	35	32	30	30	32	37	51	51	47	50	52	44	39
20	38	33	33	18	22	33	36	36	37	28	35	29	28	32	22	23	24	41	44	40	41	45	40	36	33
21	37	34	32	17	20	31	33	40	38	35	31	31	26	25	36	73	61	75	78	67	45	39	41	44	41
22	48	43	37	26	33	43	46	29	41	62	67	72	49	48	55	66	71	63	67	56	34	42	43	49	50
23	0	27	44	37	44	70	76	95	83	66	75	70	70	50	58	55	59	51	62	38	30	58	75	85	57
24	98	44	38	47	46	65	92	108	69	83	99	96	74	63	69	79	61	89	90	92	92	72	53	51	74
25	51	42	38	40	40	70	86	113	112	86	63	71	53	53	47	52	53	63	64	68	55	54	60	48	62
26	47	50	49	35	35	48	50	79	88	112	101	78	62	54	50	57	64	54	63	60	57	63	63	60	62
27	57	52	49	33	26	37	40	40	40	35	38	33	37	45	44	43	47	45	48	49	48	48	49	49	43
28	47	43	39	30	27	31	46	72	70	82	85	89	115	93	76	72	69	77	66	71	68	68	58	55	65
29	51	51	47	32	29	39	45	56	60	55	53	56	43	58	56	61	55	62	65	67	65	53	54	47	53
30	45	43	42	30	28	43	51	70	74	63	55	54	47	47	47	53	50	56	62	60	65	58	53	46	52

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

地點：屯門診所
監測物：二氧化氮

日期：2021年6月1 - 30日
單位：微克/立方米

日\時	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均值
1	36	33	33	31	26	29	35	41	46	44	40	43	43	43	45	52	39	40	39	41	38	32	37	38	39
2	39	39	36	33	28	29	29	30	37	41	39	38	39	38	39	38	39	37	37	36	31	28	27	26	35
3	24	24	22	24	20	23	24	27	27	28	31	34	34	30	35	37	37	42	40	33	28	29	27	24	29
4	23	22	22	25	26	23	25	34	34	39	43	46	45	45	49	46	50	55	61	58	42	40	39	31	38
5	31	30	30	28	27	28	30	37	40	45	49	50	60	73	84	87	98	105	88	96	91	88	88	98	62
6	83	79	75	59	58	63	66	65	68	81	91	98	96	111	104	88	92	102	101	95	92	80	70	60	82
7	52	49	47	41	39	43	46	51	53	53	69	77	81	77	83	84	86	78	70	73	65	54	49	48	61
8	45	44	40	36	34	38	42	43	47	48	61	70	73	76	76	70	67	65	71	65	57	48	45	39	54
9	--	30	28	26	27	28	31	35	43	46	51	56	55	53	53	53	54	55	56	51	40	31	29	28	42
10	26	24	21	23	21	24	29	29	28	28	33	33	--	--	31	33	34	28	27	27	25	22	21	21	27
11	20	19	18	17	16	17	20	24	28	28	31	34	33	31	33	35	36	33	33	33	27	28	28	27	27
12	25	23	25	22	23	24	30	36	38	38	40	39	37	41	38	37	36	33	34	39	35	31	28	25	32
13	24	23	24	26	22	22	23	27	28	29	30	32	31	30	31	31	32	29	29	31	29	27	30	28	28
14	25	24	25	23	23	23	25	26	30	33	37	39	35	36	43	43	40	38	33	31	30	27	28	28	31
15	27	24	23	23	21	24	29	32	36	37	35	38	39	42	43	43	43	38	37	36	31	28	26	26	33
16	27	26	25	24	25	28	32	36	38	39	41	44	44	44	43	40	37	36	40	40	35	31	28	26	35
17	26	26	28	25	26	28	32	36	37	40	40	41	43	42	49	49	46	42	43	38	34	32	31	33	36
18	32	29	26	24	23	26	31	37	39	42	45	45	42	44	47	46	43	42	41	37	35	31	32	31	36
19	30	28	28	26	24	27	30	36	38	45	46	46	46	44	47	50	52	49	50	48	40	38	36	33	39
20	33	31	29	27	26	31	32	35	37	37	42	43	46	55	49	43	41	44	42	40	39	38	38	36	38
21	35	33	31	29	28	34	38	46	48	50	51	52	50	48	48	56	71	57	54	49	38	33	33	35	44
22	34	32	27	27	30	34	39	44	54	70	69	74	67	66	66	66	65	61	59	55	40	45	45	43	51
23	0	37	36	33	34	32	38	44	44	39	41	42	50	52	51	56	52	47	51	53	41	42	41	43	42
24	44	42	37	36	34	35	33	42	51	52	53	51	50	51	58	59	54	60	58	53	52	49	45	48	48
25	51	45	40	36	35	34	36	38	44	49	47	51	47	49	48	48	42	44	41	43	39	38	42	36	43
26	33	34	35	29	27	27	30	36	39	43	40	41	41	41	40	41	41	40	39	37	36	35	32	33	36
27	31	28	28	29	22	25	28	30	33	34	36	37	31	41	38	36	35	32	31	28	28	28	29	28	31
28	27	26	24	24	22	25	38	51	49	48	44	44	47	49	47	47	45	44	42	41	36	32	28	29	38
29	29	29	28	26	26	28	32	39	40	39	41	43	41	46	48	47	42	42	42	43	38	33	32	30	37
30	26	27	27	25	21	28	33	39	42	43	43	45	44	46	42	42	42	40	39	38	38	35	31	29	36

備註：
"--" 代表欠缺該段時間的空氣質素數據

中華電力有限公司
每月時計空氣質素報告

屯門診所 二氯化硫		日期：2021年6月1 - 30日																													
監測物：		單位：																													
時\日	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
00:00	--	--	7	6	5	2	0	2	--	1	2	5	5	5	4	3	5	4	3	3	2	2	0	5	4	3	2	1	1	1	
00:10	--	--	7	6	5	2	0	2	--	1	2	5	5	5	4	3	5	4	3	3	2	2	0	6	4	2	2	1	1	1	
00:20	--	--	7	6	5	2	0	3	--	2	2	5	5	5	4	3	5	4	4	3	2	2	0	5	4	3	2	1	1	1	
00:30	--	--	7	6	5	2	0	2	--	2	2	5	5	5	4	4	5	4	4	3	2	2	0	5	4	3	2	1	1	1	
00:40	--	--	7	6	5	2	0	3	--	--	2	5	5	5	4	3	5	4	4	3	2	2	0	0	4	3	2	1	1	--	
00:50	--	--	7	6	5	2	0	3	0	--	2	5	5	4	3	3	5	5	3	3	2	2	0	0	4	3	2	1	1	--	
01:00	--	--	7	6	5	2	0	3	0	--	2	5	5	4	4	3	5	4	3	2	2	2	0	0	4	3	2	1	1	--	
01:10	--	--	7	6	5	1	0	3	0	1	2	5	5	5	4	4	5	4	4	3	2	2	0	5	4	3	2	1	1	1	
01:20	--	--	7	6	5	1	0	3	0	0	1	5	5	5	4	4	5	4	3	3	2	2	0	4	4	3	2	2	1	1	
01:30	--	--	7	6	5	1	0	2	1	0	2	5	5	5	4	4	5	4	3	2	2	2	0	3	4	3	2	1	1	0	
01:40	--	--	7	6	5	1	0	2	1	0	1	5	5	5	4	3	5	4	4	2	2	2	1	3	4	3	2	1	1	1	
01:50	--	--	7	6	5	1	0	3	2	0	2	5	5	5	4	4	5	4	4	3	2	2	1	3	4	3	2	1	1	1	
02:00	--	--	7	6	5	1	0	3	2	0	2	5	6	5	4	3	5	4	3	3	2	2	1	3	4	3	2	2	1	1	
02:10	--	--	7	6	5	1	0	2	2	1	2	5	6	5	4	3	5	4	3	3	2	2	1	4	4	3	2	1	1	1	
02:20	--	--	7	5	5	1	0	3	2	1	2	5	6	5	4	3	5	4	3	3	1	2	2	4	4	3	2	1	1	1	
02:30	--	--	7	5	5	2	0	3	2	1	2	5	5	5	4	3	5	4	3	2	2	2	1	4	4	3	2	1	1	1	
02:40	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02:50	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:00	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:10	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
03:20	--	--	9	6	6	1	1	2	3	3	3	5	6	4	5	2	6	4	4	2	3	2	3	6	4	4	2	3	1	2	
03:30	--	--	6	3	3	0	0	1	2	1	1	3	5	3	3	2	4	2	3	1	1	0	1	4	2	3	1	1	0	1	
03:40	--	--	5	3	3	0	0	0	1	0	1	3	4	2	3	1	4	2	3	1	1	0	1	4	2	2	0	1	0	0	
03:50	--	--	6	3	3	0	0	0	1	0	1	3	4	2	3	1	4	2	3	0	1	0	1	4	2	2	0	1	0	0	
04:00	--	--	5	5	3	0	0	2	1	1	1	4	5	4	3	3	4	3	3	2	1	1	1	4	3	2	2	1	1	0	
04:10	--	--	6	5	3	1	0	2	2	1	1	4	5	4	4	3	4	4	3	2	1	1	1	4	3	2	2	1	1	0	
04:20	--	--	6	5	4	1	0	2	2	1	2	5	5	5	4	3	4	4	3	2	2	2	1	4	4	3	2	1	1	1	
04:30	--	--	6	6	4	2	0	3	2	2	2	5	5	5	4	3	5	4	3	3	2	2	1	4	4	3	2	1	1	1	
04:40	--	--	7	6	4	2	0	3	2	2	2	5	5	5	4	3	5	4	3	3	2	2	1	4	4	3	2	2	1	1	
04:50	--	--	6	6	4	2	0	3	2	2	2	5	5	5	4	4	5	4	3	3	2	2	2	4	4	3	2	2	1	1	
05:00	--	--	7	6	4	2	0	3	2	2	2	5	5	5	4	3	5	4	4	3	2	2	2	4	4	3	2	1	1	1	
05:10	--	--	7	6	4	2	0	3	2	2	2	5	5	4	4	3	5	4	4	2	2	2	2	4	4	3	2	1	1	1	
05:20	--	--	6	6	4	1	0	3	3	1	2	5	5	4	4	4	5	4	3	3	2	2	2	4	5	3	2	1	1	1	
05:30	--	--	6	6	4	1	0	3	3	2	2	5	5	5	4	4	5	4	3	3	2	2	2	5	4	3	2	1	1	1	
05:40	--	--	6	6	4	2	0	3	3	2	2	5	5	5	4	4	5	4	4	3	2	2	2	5	4	3	2	2	1	1	
05:50	--	--	6	6	4	2	0	3	3	2	2	5	5	5	4	4	5	4	3	3	2	2	2	5	5	2	2	2	1	1	
06:00	--	--	7	6	4	1	0	2	2	2	2	5	5	4	4	3	5	4	3	3	2	2	2	5	5	3	2	2	1	1	
06:10	--	--	7	6	4	2	0	2	2	2	2	3	5	5	4	4	5	4	4	3	2	2	2	5	5	3	2	2	1		